


THE MONTEREY PENINSUAL AIRPORT  
IN THE 1970's AND 1980's:  
A DEMAND FORECAST

Amos Lee Maples

DUDLEY KNOX LIBRARY  
NAVAL POSTGRADUATE SCHOOL  
MONTEREY, CALIFORNIA 93940

# NAVAL POSTGRADUATE SCHOOL

## Monterey, California



# THESIS

THE MONTEREY PENINSULA AIRPORT  
IN THE 1970's AND 1980's:  
A DEMAND FORECAST

by

Amos Lee Maples

Thesis Advisor:

James K. Hartman

March 1974

*Approved for public release; distribution unlimited.*

T 159108

The Monterey Peninsula Airport

In The 1970's and 1980's:

A Demand Forecast

by

Amos Lee Maples  
Lieutenant, United States Navy  
B.S., University of California, 1966

Submitted in partial fulfillment of the  
requirements for the degree of  
MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the  
NAVAL POSTGRADUATE SCHOOL  
March 1974

Thesis  
1734-1  
c.1

## ABSTRACT

The Monterey Peninsula Airport is modeled as a three component (airside, terminal, and streetside) system, and forecasts of demand and utilization for each component are developed through use of linear and log linear regression techniques. Specifically, forecasts for General Aviation Operations, Airline Passenger Enplanements and Passenger Associated Visitors, the number of automobiles utilizing the roadway during the peak hour (2 scheduled airline departures and 2 scheduled airline arrivals within the same hour), and associated parking space requirements have been made for the years 1973, 1974, 1975, 1980, and 1985.



## TABLE OF CONTENTS

I.	INTRODUCTION.....
A.	PURPOSE.....
B.	OBJECTIVE.....
C.	METHODOLOGY.....
II.	MODELING THE AIRPORT AS A SYSTEM.....
A.	CONCEPTUAL MODEL.....
B.	LIMITS OF INFLUENCE.....
III.	GENERAL AVIATION OPERATIONS MODEL.....
A.	AIRPORT ATTRIBUTES AND RELATION TO GENERAL AVIATION OPERATIONS.....
B.	DATA.....
C.	MODEL BUILDING.....
D.	FORECASTS.....
E.	SENSITIVITY OF FORECASTS.....
IV.	ENPLANED PASSENGER SEAT MODEL.....
A.	CHARACTERISTICS AND ANALYSIS OF DATA.....
B.	MODEL BUILDING.....
C.	FORECAST OF ENPLANED PASSENGERS.....
D.	SENSITIVITY OF FORECASTS.....
E.	PASSENGER ASSOCIATED VISITORS.....
V.	AIR CARGO.....
A.	HISTORICAL GROWTH.....
B.	FORECASTING.....
VI.	STREET SIDE INTERFACE.....
A.	DATA ANALYSIS.....





B.	FORECASTS.....	
VII.	CONCLUSION.....	
A.	RESULTS.....	
B.	RECOMMENDATIONS.....	
APPENDIX A	Regression Analysis.....	
APPENDIX B	Data Summaries.....	
APPENDIX C	Results of Regression Analysis, General Aviation Models.....	
APPENDIX D	Results of Regression Analysis, Enplaned Passengers Models.....	
APPENDIX E	Calculations for Street Side Interface Forecasts.....	
APPENDIX F	Glossary.....	
	LIST OF REFERENCES.....	
	INITIAL DISTRIBUTION LIST.....	
	FORM DD 1473.....	



## LIST OF TABLES

- I. General Aviation Operations
- II. Correlation Matrix for General Aviation Operation Model Variables
- III. General Aviation Operations Models
- IV. Forecasts of General Aviation Operations
- V. Quarterly Passenger Traffic
- VI. Calendar and Fiscal Year Passenger Traffic
- VII. Correlation Matrix for Enplaning Passenger Model Variables
- VIII. Enplaning Passenger Models
- IX. Forecasts of Enplaning Passengers
- X. Revised Forecasts of Enplaning Passengers
- XI. Passenger Associated Visitors
- XII. Enplaned Revenue Tons of Air Cargo
- XIII. Traffic Study Summary, Olmstead Road
- XIV. Street Side Interface Utilization Forecasts



## LIST OF GRAPHS

1. General Aviation Operations
2. General Aviation Operations Forecasts
3. Prediction Intervals, General Aviation Operations Forecasts
4. Enplaning Passengers
5. Comparison Between Quarterly Enplaning Passengers vs. Fort Ord Quarterly Basic Trainee Output
6. Total Seats Available vs. Passenger Enplanements
7. Enplaning Passenger Forecasts
8. Prediction Intervals for Enplaning Passenger Forecasts
9. Revised Enplaning Passenger Forecasts
10. Airline Scheduled Arrivals/Departures
11. Enplaned Revenue Tons of Air Cargo



## ACKNOWLEDGEMENT

The author would like to take this opportunity to express his appreciation to several individuals without whose help this research would have been much more difficult and time consuming. First, Mr. Nick Ford and his airport management staff furnished pertinent data that would have been otherwise unavailable. Both Mr. Charles Lovette and Mr. Fred Hykal, local managers of United Airlines and Hughes Airwest, respectively, interrupted their busy schedules to provide insight and subjective analysis of their organizations. Mr. John Moore of the Federal Aviation Administration contributed greatly to the author's understanding of general aviation operations at the airport. Mr. Brighton of the Army Transportation Department at Fort Ord gave invaluable information concerning the military's demand and utilization of airport facilities. Lastly, the author would like to thank his wife, Pat, for her constant encouragement and numerous sacrifices which provided the impetus for the completion of this project.





## I. INTRODUCTION

### A. PURPOSE

This thesis presents demand and utilization forecasts of Monterey Peninsula Airport facilities for the years 1973, 1974, 1975, 1980, and 1985 based on trend analysis and pertinent socio-economic factors for Monterey County. It is designed to implement and complement LT Gordon Reed's thesis research [Ref. 1] on the development of a conceptual model for the Monterey Airport Master Plan.

An attempt has been made to find relatively simple forecasting models which can be easily calculated and updated yearly by the Monterey Airport District without resorting to complex computer programs. However, the data used for formulating the models was suitable for computer input, and the Naval Postgraduate School's IBM 360/67 computer was utilized for time savings. Since forecasts for 1973 are given in the following models, a comparison of the forecast and actual results may be used as validation for the models. If the results are significantly accurate, it is hoped that the models will be included in a future Airport Master Plan or at least serve as a basis for further study.

### B. OBJECTIVE

The objective was to forecast demand and utilization of airport facilities in four major areas.

The first area was aircraft operations (An operation is defined as a take-off or a landing.). In this area, only operations pertaining to General Aviation with the exclusion of commercial or military operations were considered. Commercial airline operations are first highly dependent



upon passenger seat demand and second upon the type of aircraft utilized on a particular scheduled flight which is, in turn, an airline management decision. It was felt therefore that forecasts for commercial operations were inappropriate. The Navy Auxillary Landing Field at Monterey closed in 1972 and since that time military operations at the airport have been reduced to a numerically insignificant portion of the total operations at the airport.

The second and third major areas were passenger seat demand and air cargo demand.

The fourth and last major area was airport access traffic and its influence on parking and roadway utilization.

### C. METHODOLOGY

In order to accomplish the above objectives, historical data in the four major areas was collected from airport records, Federal Aviation Administration (FAA) records, and from the control tower records at the airport. Next, historical data of pertinent socio-economic characteristics of the airport's area of influence was gathered from the United States Bureau of Census, the California Department of Finance and California Statistical Abstracts.

Interviews were held with airport officials, the managers of the commercial airlines serving Monterey, planning commissions for various governmental entities in Monterey County, Salinas Monterey Area Transportation Study (SMATS) officials, and the Monterey Peninsula Chamber of Commerce to gain additional insight on the data collected and possible future planned conditions which might modify some of the results obtained by the models.



A least square regression model was fitted to the data collected and forecasts were made for the various years of interest. Appendix A gives a short discussion on this methodology.


In areas where no pertinent data was available, the results of similar studies done at other airports in a specific area were applied to Monterey to give some indication of possible airport facility requirements and utilization.



## II. MODELING THE AIRPORT AS A SYSTEM

### A. CONCEPTUAL MODEL

In order to ensure that the four major areas to be forecast did in fact represent the most pertinent ones for future airport master planning, the following conceptual model was made.



The Airside Interface of the airport system is composed of air traffic patterns, runways, ramp areas, and taxiways. The utilization and capacity of these areas are directly influenced by both aircraft operations and the mix of aircraft using the areas. As before, aircraft operations are broken into three separate categories; 1) scheduled commercial, 2) general aviation, and 3) military operations.

Scheduled commercial operations are not only influenced by deplaning/enplaning passengers but also by the size of aircraft employed. The size of aircraft employed by the airlines at Monterey is restricted due to the length and bearing capacity of the runway. For example, the runway is too short [Ref. 2] and the bearing capacity of the runway [Ref. 3] may be insufficient to allow the use of either the Lockheed L-1011 or McDonnell-Douglas DC-10 aircraft at the airport. This fact minimizes the probability of reducing the number of scheduled flights into Monterey while either keeping the number of available passenger seats the same or greater than currently available. Another important factor is the ground time for





these jets would be greater than for the present fleet being employed since either of the newer jets would have to be towed away from the terminal area before starting engines because the thrust of the jets is sufficient to blow out windows, according to FAA tower personnel.

General Aviation operations influence air traffic patterns and, indirectly, runway capacity due to their differing performance characteristics. The services offered by the Fixed Base Operators (FBO) at Monterey are an attraction for the private aviation community. The repair and maintenance services offered directly influence the number of aircraft coming to Monterey to avail themselves of this service and thus affect ramp area parking for short periods of time. Instruction for various pilot ratings is also given by the FBO's and therefore affects General Aviation operations to some degree.

Military operations at Monterey have been reduced to an insignificant level and have very little influence on the airside interface. At the present time, the operations consist of occasional medical flights and some landing and instrument approach practice.

The Terminal Area Interface of the airport system is composed of areas designated for aircraft boarding, automobile rental, business offices, baggage, cargo, gift shop, restaurant and snack bar, sky-jacking search, airline tickets, and waiting. The primary usage of all these areas is directly related to enplaning and deplaning passengers and the associated visitors accompanying the passengers. No study has to date been done at Monterey which reflects the proportion of people using the airport terminal area (air passengers, passenger related visitors, employees, and casual visitors).

Utilization of the terminal area facilities is not only affected by the passengers served but when and in what numbers they arrive. The



scheduling of commercial flights and size of aircraft employed will greatly influence the degree of utilization per day. Because of this reason, a daily figure for airline passengers and passenger related visitors will be calculated from the models on enplaning passengers in Chapter IV of the thesis.

The Street Side Interface of the airport system consists of the roadways leading to and from the airport (Olmstead Road and Henderson Way) and the parking areas, either in designated lots or at the airport, automobile rental agencies, and FBO customers. Chapter VI of the thesis goes into detail on the calculations used to forecast the utilization of street side facilities.

The most important of the major areas to be forecast from the above discussion on the airport as a system is enplaning passengers since it alone influences each of the three interfaces.

## B. LIMITS OF INFLUENCE

After defining a conceptual model of the airport, the next important step is to define what geographical areas have influence on airside interface operations. By looking at the scheduled commercial operations and general aviation operations separately, it is apparent that the respective geographical areas which influence the airside interface are different.

Scheduled commercial operations are most directly influenced by demand for passenger seats. Presently, and for the near future, Monterey Peninsula Airport is and will be the only airport in the county to have scheduled airline service (interviews with both airline managers supported this statement). The nearest commercial airport to Monterey is San Jose which is an approximate ninety minute drive from Monterey. Based on 1970 U.S. Bureau of Census tracts, greater than 90% of the population of Monterey



County is within forty-five minutes by automobile of the Monterey Peninsula Airport. The Hollister and Watsonville areas are, in addition, closer to the Monterey Peninsula Airport than the San Jose Airport and do contribute to passenger seat demand. Therefore, the geographical area of influence for passenger seat demand would probably include the entire county north and east of the airport including the Hollister and Watsonville areas and south to the San Ardo census tract. Both airline managers tended to agree with these limits, but felt that the greatest proportion of the demand originated from the Monterey Peninsula-Salinas area.

General Aviation operations have their biggest impact on two areas of the airside interface; first in operations associated with the runway and second in the ramp areas including hanger spaces and tie-down facilities used for basing aircraft. Of these two areas, basing of aircraft would be the one most directly dependent on a geographical area for influencing basing demand and utilization. The FBO's and airport manager all tended to agree that aircraft which are owned by people who lived away from the Monterey Bay Area based their aircraft at one of the eleven other paved and dirt airports/airstrips in Monterey County. The consensus was that owners of aircraft would base them primarily at airports which involved short travel times from their homes. This fact was supported by a survey conducted for the Statewide Master Plan of Aviation [Ref. 4, Table 8.1] which indicated that 95% of all aircraft in California are based within 15 miles or 25 minutes of their owner's residence. Therefore, the geographical area of influence for general aviation aircraft basing for the airport would probably include the area north to Marina, south to Carmel, and east to Laureles Grade. For information purposes only, Appendix B.5 shows the basing and mix of aircraft at Monterey





Peninsula Airport from 1963 to 1972. Appendix B.19 shows the basing and mix of aircraft in Monterey County from 1963 to 1972.





### III. GENERAL AVIATION OPERATIONS MODEL

#### A. AIRPORT ATTRIBUTES AND RELATION TO GENERAL AVIATION OPERATIONS

The Monterey Peninsula Airport has the very good fortune of having excellent year round weather conditions which are conducive to aviation operations. The region has a Mediterranean climate which is typical of most of coastal California. August is the worst month of the year for operations since, on the average, the airport is below 500 feet ceiling and one mile of horizontal visibility 21.0% of the time as compared to an annual figure of 7.6%, and below 200 feet ceiling and one half mile of horizontal visibility 6.4% of the time as compared to an annual figure of 2.9% [Ref. 5, p. 20]. During these periods of time the airport is restricted to Instrument Flight Rules [IFR] and the capacity of the traffic patterns are greatly reduced due to required traffic separation for safety.

Because of the generally excellent weather conditions, Monterey is a popular airport with general aviation for practicing approaches and landings and use as a stopover for pleasure flying. During the winter months when much of California is fogged over and airports have weather conditions which are less than satisfactory for operations, Monterey is more heavily utilized. According to the FAA tower personnel, weekend operations especially during these periods are greatly increased with many non-local aircraft and aviators using Monterey's facilities.

Another characteristic of the airport which helps to increase its popularity is its location. The airport is away from high density air traffic facilities (for example, the San Francisco Bay Area and Los



Angeles Area and their associated terminal control areas). As a result of this, the possibility of mid-air collisions with other aircraft is greatly reduced.

The physical equipment of the airport also contributes to its popularity. First, a manned 24 hour a day FAA tower is available for positive aircraft control while flying in the airport traffic control area. Second, the availability of FBO's who sell aircraft and aviation fuel and related equipment, provide maintenance service and flight instruction, supply aircraft for rental and lastly have charter service readily available provides an added inducement to use the airport. Lastly, the terminal area with its restaurant and car rental agencies provides desirable services for stop-overs for aviators on long distance trips or weekend vacations.

#### B. DATA

Ideally, general aviation operations may be divided into various categories according to flight purpose (i.e., recreational, instructional, or business flying) for analysis and then each separate flight purpose forecast. However, no detailed records which could be used for this type of a break-down could be located at either the Monterey Peninsula Airport District Offices or the FBO's. Therefore, only aggregated totals of general aviation operations were used.

Appendix B.1 gives the data on a monthly basis for itinerant and local operations (see Appendix F for definitions) for years 1963 through 1970 as kept by the Monterey Peninsula Airport District. Appendix B.2 is the monthly air traffic record for Monterey Peninsula Airport from 1962 thru May of 1973 as kept by the FAA tower personnel. Appendix B.3 is a record of monthly commercial aircraft landings from 1970 to July of 1973



which was obtained from landing fee receipts kept by the Monterey Peninsula Airport District. The data in Appendices B.2 and B.3 were combined to determine general aviation operations from 1971 through 1973 in the following manner:

General Aviation Operations = Total Operations - Commercial Operations

Table I summarizes this data into quarterly, biyearly and yearly blocks for years 1963-1973. Graph 1 displays the same information.

### C. MODEL BUILDING

The dependent variable chosen for the regression equation and, consequently to be forecast was General Aviation Operations including both local and itinerant operations. Both types of operations were combined since this was more compatible with the data collected and the ultimate affect on usage of the airside interface would be the same, especially in the area of the traffic patterns and runway utilization.

The explanatory variables chosen to possibly be used in the regression models were U. S. registered pilots, California registered pilots, and Monterey based aircraft. Appendices B.4 and B.5 are a summation of the data obtained for registered pilots and based aircraft, respectively, from the FAA. Table II shows the high degree of correlation between the independent variables and the dependent variables.

Registered pilots in the U.S. and California were chosen as possible explanatory variables for the following reasons. First, both sets of pilots have data which is readily available from the FAA and, in the case of California registered pilots, from the State Department of Finance. Second, the FAA does yearly projections for the future numbers of U.S. registered pilots and these projections represent a source which may be used in the forecasting models of general aviation operations at Monterey.





TABLE I


## OPERATIONS - GENERAL AVIATION QUARTERLY, BI-YEAR, YEAR

	1st	2nd	6 mos.	3rd	4th	12 mos ending Dec 31
1961						40,000
1962						42,700
1963	12,190	14,169	26,359	14,695	12,508	53,562
1964	15,421	16,275	31,696	16,367	14,787	62,850
1965	16,540	16,081	32,621	18,638	17,749	69,008
1966	21,457	23,441	44,898	23,838	16,913	85,649
1967	20,778	20,217	40,995	21,700	21,590	84,285
1968	21,348	21,863	43,211	20,754	17,153	81,118
1969	19,788	25,372	45,160	27,209	24,362	96,731
1970	23,944	23,571	47,515	22,638	20,153	90,306
1971	*	*		*	*	91,133
1972	24,643	24,667	49,310	24,369	20,708	94,387
1973	21,299					

\* No known data available for the operations of Golden West Airlines on a monthly period basis for this year, therefore general aviation operations could not be separated.







\* see Table I



TABLE II

CORRELATION MATRIX FOR GENERAL AVIATION  
OPERATION MODEL VARIABLES

	GENERAL AVIATION OPS	MONTEREY BASED AIRCRAFT	CALIFORNIA REGISTERED PILOTS	U.S. REGISTERED PILOTS
GENERAL AVIATION OPS	1.000	0.965	0.939	0.937
MONTEREY BASED AIRCRAFT	0.965	1.000	0.982	0.981
CALIFORNIA REGISTERED PILOTS	0.939	0.982	1.000	0.999
U. S. REGISTERED PILOTS	0.937	0.981	0.999	1.000



Lastly, California registered pilots may provide a better explanatory variable than the Monterey County registered pilots since Monterey Peninsula Airport is a public airport and, from discussions with the FAA tower personnel, there are many non-based aviators using Monterey's facilities. Incidentally, there is no data available on the number of registered pilots residing in Monterey County.

Monterey based aircraft was used as an explanatory variable because of an intuitively appealing assumption: the more aircraft based at the airport, the more general aviation operations would be conducted at the airport. One of the FBO's estimated that 80% of the instruction he does for private pilot licenses occurs at the airport. Unfortunately, he had no complete record of the number of students he had trained during the previous years.

Table III shows the models which were estimated from the available data and, also the statistical results. Models 1-5 represent an attempt to determine what type of growth general aviation operations have been experiencing at Monterey. From the results obtained, a linear expression best explains the growth of operations since 1961. Models 6-8 and 9-11 represent an attempt to determine what type of model best represents the data when general aviation operations are a function of California Pilots and U.S. Pilots. A Logarithmic model in each case is better (but only by a small margin) than the linear model. Models 12-16, lastly, represent an attempt to relate the number of based aircraft at Monterey to general aviation operations and to see if any significant improvement can be made in the fit of the model to the data with the addition of another explanatory variable.

The comparison of model 12 with the remaining models shows that the fit to the data is not significantly improved by the addition of another



TABLE III

GENERAL AVIATION OPERATIONS  
MODELS AND STATISTICAL RESULTS

MODEL	$R^2$	STANDARD ERROR	COMPUTED t VALUE	
			FOR $\beta_1$	FOR $\beta_2$
1) $O = \beta_0 + \beta_1 Y + \epsilon$	.8846	7.202	8.31	
2) $\ln O = \beta_0 + \beta_1 \ln Y + \epsilon$	.8619	0.1224	7.49	
3) $O = \beta_0 + \beta_1 Y^{\frac{1}{2}} + \epsilon$	.1702	19.31	1.36	
4) $O = \beta_0 + \beta_1 Y^2 + \epsilon$	.6957	11.70	-4.53	
5) $O = \beta_0 + \beta_1 Y^{3/2} + \epsilon$	.7795	9.96	-5.64	
6) $O = \beta_0 + \beta_1 (CP) + \epsilon$	.8822	7.275	8.211	
7) $\ln O = \beta_0 + \beta_1 \ln(CP) + \epsilon$	.8968	0.1058	8.84	
8) $O = \beta_0 + \beta_1 (CP)^2 + \epsilon$	.8282	8.787	6.59	
9) $O = \beta_0 + \beta_1 (UP) + \epsilon$	.8773	7.426	8.02	
10) $\ln O = \beta_0 + \beta_1 \ln(UP) + \epsilon$	.8841	0.1121	8.29	
11) $O = \beta_0 + \beta_1 (UP)^2 + \epsilon$	.8304	8.731	6.64	
12) $O = \beta_0 + \beta_1 (MAC) + \epsilon$	.9317	5.542	11.08	
13) $O = \beta_0 + \beta_1 (CP) + \beta_2 (MAC) + \epsilon$	.9338	5.788	-0.50	2.49
14) $O = \beta_0 + \beta_1 (UP) + \beta_2 (MAC) + \epsilon$	.9348	5.743	-0.61	2.65
15) $\ln O = \beta_0 + \beta_1 \ln(CP) + \beta_2 \ln(MAC) + \epsilon$	.9340	0.0898	-0.05	2.12
16) $\ln O = \beta_0 + \beta_1 \ln(UP) + \beta_2 \ln(MAC) + \epsilon$	.9348	0.0892	-0.32	2.49

O = GENERAL AVIATION OPERATIONS

Y = YEAR

CP = CALIFORNIA PILOTS

UP = UNITED STATES PILOTS

MAC = MONTEREY BASED AIRCRAFT

REFER TO APPENDIX C FOR VALUES OF COEFFICIENTS





variable or by changing the structure of the model. It is also worthwhile to point out that the values for the coefficients of the registered pilot variables in models 13-16 is not significantly different from zero as indicated by the "t" statistic. The critical t value for nine degrees of freedom 90% confidence level is 1.383. An explanation of this is the high degree of correlation between the explanatory variables as shown in Table II.

Summarizing the results, all three explanatory variables do an excellent job of relating to general aviation operations. Of the three, Monterey based aircraft is the best by a small margin. Finally, no significance is gained by adding either of the registered pilots variables to based aircraft.

The following three models were selected to be used as the means of forecasting general aviation operations at Monterey:

#### Model I

$$\text{General Aviation Operations} = \beta_0 + \beta_1(\text{Year}) + \epsilon$$

$$0 = -303.98 + 5.70 (\text{Year})$$

$$(0.6867)$$

#### Model II

$$\text{General Aviation Operations} = \beta_0 + \beta_1(\text{U.S. Pilots}) + \epsilon$$

$$0 = 6.12 + 0.12 (\text{U.S. Pilots})$$

$$(0.0150)$$

#### Model III

$$\ln \text{General Aviation Operations} = \beta_0 + \beta_1 \ln(\text{U.S. Pilots}) + \epsilon$$

$$\ln 0 = -1.9885 + 0.99 \ln(\text{U.S. Pilots})$$

$$(0.1199)$$

The reasons for selecting these particular models were many and are discussed in the following paragraphs.



Even though based aircraft best explained general aviation operations, several items precluded the use of that particular model. The first item to be considered is the space which is allocated for parking of aircraft. From Appendix B.5 it can be noted that the rate of change in the number of aircraft based at the airport, while positive, has not been constant, and for the years 1969 through 1972, there has been no reported change in the number of based aircraft. One possible explanation of this fact may be due to the lack of available hanger space. One of the FBO's felt that if more hanger space was made available it could be filled in a short time. However, tie-down space, the only other means of basing an aircraft, is not as desirable a method for storing an aircraft and would require a longer period of time to fill. Therefore, it may be concluded that available hanger space may be an important factor for basing aircraft at Monterey. Secondly, the Board of Directors may make decisions on how many and what type aircraft will be based at Monterey in the future in response to public opinion. Finally, without prior knowledge of future plans for the type and/or number of aircraft basing facilities at the airport, it is not feasible to make a forecast using this model.

Another reason for selecting the three models was the fact that all had nearly equal values for coefficient of determination and the standard errors were also nearly equal.

It was further decided to use U.S. registered pilots in place of California registered pilots since FAA projections were readily available as discussed earlier and there was only a slight sacrifice in fit of the models; compare the respective coefficient of determinations and standard errors. Also the percentage of U.S. pilots which are registered in California has been relatively stable for the past 15 years, increasing approximately .1%/year.



Lastly, the models chosen were consistent with the purposes of the thesis as discussed in Chapter I.

#### D. FORECASTS

Table IV shows the forecasts and prediction intervals associated with a 90% confidence interval for general aviation operations for Monterey Peninsula Airport for the years 1973, 1974, 1975, 1980, and 1985. The figures used for U.S. registered pilots came from FAA predictions shown in Appendix B.4.

The results show that Model I consistently gave the highest forecast while Model II consistently gave the lowest. Model III gave the smallest prediction intervals and Model I gave the largest.

Graphs 2 and 3 depict the forecasts and prediction intervals of the models respectively, and in addition FAA forecasts and United Airlines (UAL) forecasts are drawn on Graph 2 for comparative purposes only [Refer to Appendices B.6 and B.7 for FAA and UAL forecasts].

The FAA [Ref. 6, p. 7] describes its methodology for forecasting general aviation operations in the following manner:

"General Aviation Operations forecasts are projections of past trends modified by known considerations such as airport capacity, available reliever airports, and official attitudes toward general aviation activity at the subject airport."

The methodology which UAL used to forecast general aviation operations was not delineated. It is interesting to note that Models II and III agreed very closely with UAL's forecasts.

#### E. SENSITIVITY OF FORECASTS

The basic premise upon which these forecasts are based is that all externalities which influenced general aviation operations in the past will continue in the same manner in the future. Any change in these





TABLE IV

FORECAST OF GENERAL AVIATION OPERATIONS  
MONTEREY PENINSULA AIRPORT

## MODEL I

$$\text{GENERAL AVIATION OPERATIONS} = \beta_0 + \beta_1(\text{YEAR}) + \varepsilon$$

## MODEL II

$$\text{GENERAL AVIATION OPERATIONS} = \beta_0 + \beta_1(\text{U.S. PILOTS}) + \varepsilon$$

## MODEL III


$$\text{LN GENERAL AVIATION OPERATIONS} = \beta_0 + \beta_1 \text{LN}(\text{U.S. PILOTS}) + \varepsilon$$

YEAR	MODEL I		MODEL II		MODEL II	
	FORECAST	PREDICTION INTERVAL $\pm$	FORECAST	PREDICTION INTERVAL $\pm$	FORECAST	PREDICTION INTERVAL $\pm$
1973	112,400	16,900	103,800	16,500	106,200	12,700
1974	118,100	17,600	108,600	17,000	111,900	12,800
1975	123,800	18,500	113,300	17,600	116,400	12,900
1980	152,300	23,100	137,100	21,200	140,600	13,200
1985	180,900	28,500	161,400	25,600	168,200	13,500






GRAPH 2  
GENERAL AVIATION OPERATIONS FORECAST  
MONTEREY PENINSULA AIRPORT





GRAPH 3  
 PREDICTION INTERVALS  
 GENERAL AVIATION OPERATIONS  
 FORECAST  
 MONTEREY PENINSULA AIRPORT





factors may accordingly change the forecasts. The following discussion enumerates several of the possible areas which might influence operations either positively or negatively.

The Federal Aviation Regulations Part 61 were changed early in 1973 to require more flight time for pilots to maintain current ratings and licenses. Reference 7 summarizes and reviews these changes and compares both sets of regulations. The effects of these changes locally has been a reduction in the number of pilots utilizing the rental aircraft available at the FBO's and the club aircraft at the Navy Flying Club. In both cases, however, the pilots who were withdrawing from active flying were felt to be marginally active and therefore contributing little to overall operations. One FBO felt that his charter business may actually increase due to the possibility of transporting some of the previous marginal pilots who now elect not to fly themselves. Whether a reduction in operations caused by marginally active pilots becoming inactive will be offset by increasing operations caused by pilots maintaining currency is an issue which will require a longer period for study than was available for this thesis.

The cost of obtaining pilot licenses and ratings has been increasing at a very fast rate. A popular manner of obtaining the instruction necessary to obtain the licenses and ratings is to use the benefits granted veterans under the G.I. bill. One of the FBO's estimated that approximately 80% of the students he has and is training have paid the cost of instruction using the G.I. bill. Current events show a tendency to decrease the size of the armed services in general and, thus, a distinct possibility of reduction in flight instruction, licensed pilots, and consequently, general aviation operations does exist.



Reference 8 states the following, "Cessna Aircraft Company estimates that 200,000 persons must begin learn-to-fly programs during 1976 for the general aviation industry to grow at an acceptable rate. The company expects 1972 starts to total about 128,000 of which only 39,000 will earn private pilot licenses." One of the basic inferred premises of the models was that as the number of registered pilots increased there would be a corresponding increase in the number of general aviation operations.

Costs of maintaining and flying of aircraft were of concern to aircraft owners and renters as indicated by interviews. Though the source of the rumor was not given, there is supposedly some talk of increasing the cost of aviation fuels as much as 100% due to an increase in fuel tax to a level where the tax is equivalent to the cost of the fuel alone. Another increase in taxes or licensing fees is in the form of a users tax on the nation's airways. Commercial airlines are objecting to the cost they have to bear for using the nations airways and feel that private aviation should carry more of the burden than at present. Lastly, there is supposedly discussion underway to enact legislation which would require more avionics to be carried on all aircraft which operate outside a radius of 50 miles from where they are based or operate at night. All of these rumors, if they become fact, may decrease general aviation operations by forcing out of active aviation those who cannot afford to bear the additional costs.

Reference 9 details some of Cessna's production and marketing philosophy for 1973 and 1974. In summary, to expand the market for aircraft Cessna has increased production of all their aircraft models, added special packages for increased performance at nominal costs, and maintained the cost of the total at a value equal to their 1972 model costs. They intend to ship their product to their dealers at a rate faster than the





dealers request to achieve two things. They first want to fill their dealers flight lines so they will be willing to make more sales with smaller profit margins in order to move the aircraft. Second, they want their dealers to take in more trade-in aircraft so a larger market of good used aircraft will be available as an inducement to get more people in the market. Reference 10 in general summarizes the optimistic views held by most of the general aviation aircraft manufacturers for increased aircraft demand. If these views and philosophies are in fact true, general aviation operations should be increasing in the future.

The last item to be mentioned is the effect of the "Energy Crisis" on the forecasts. If in fact this problem is a long term factor, the effect may most probably be a reduction in general aviation operations. If the "Energy Crisis" is a short term factor, then the length of time before all factors return to their pre-crisis levels, or if they ever return, is open to subjective arguments and cannot at the present be qualified.



#### IV. ENPLANED PASSENGER SEAT MODEL

##### A. CHARACTERISTICS AND ANALYSIS OF DATA

The Monterey Peninsula Airport ranks as the ninety-sixth busiest commercial airport (in terms of passenger enplanements) in the United States, Puerto Rico, and Guam [Ref. 11]. Statewide, the airport ranks eighth for community passenger service [Ref. 11] and serves as a major feeder into the state and national air transportation system.

As discussed in Chapter 2, airline passengers are the single most important variable for utilization of airport facilities since they effect to some degree all three interfaces of the airport system. An ideal approach to forecasting the passenger seat demand at Monterey Peninsula Airport would be to isolate various passenger categories (tourist, military, and business for example), obtain historical data on each, forecast future demand for each, and then combine the results to determine total future demand. Part of the ensuing discussion lists some of the results of such an attempt. Unfortunately, this approach was not feasible due to insufficient data, and therefore an alternate approach using only total enplanements and certain socio-economic characteristics of the county was undertaken.

Tables V and VI summarize quarterly, calendar, and fiscal year totals of airlines passengers using the airport for the years 1962-1973. It should be noted that the number of enplaning and deplaning passengers over the same period of time have been nearly equivalent. Appendix B.8 contains the monthly figures kept by the Monterey Peninsula Airport District from 1965 to June 1973. Appendix B.9 lists the calendar and fiscal year totals for 1962 through 1965 as reported by the FAA.



TABLE V

QUARTER PASSENGER TRAFFIC  
MONTEREY PENINSULA AIRPORT

YEAR	FIRST QUARTER	SECOND QUARTER	THIRD QUARTER	FOURTH QUARTER
1965				
ON	16779	20499	24201	23433
OFF	<u>16707</u>	<u>21107</u>	<u>26722</u>	<u>24514</u>
TOTAL	33486	41606	50923	47947
1966				
ON	23493	29484	23431	31705
OFF	<u>26440</u>	<u>29876</u>	<u>24138</u>	<u>28270</u>
TOTAL	49933	59360	47569	59975
1967				
ON	23431	30705	31882	37631
OFF	<u>23964</u>	<u>28270</u>	<u>33326</u>	<u>36798</u>
TOTAL	47395	58975	65208	74429
1968				
ON	40820	36681	33524	44310
OFF	<u>37708</u>	<u>34895</u>	<u>35470</u>	<u>40653</u>
TOTAL	78528	71576	68994	84963
1969				
ON	40248	55562	53627	52863
OFF	<u>26212*</u>	<u>37976*</u>	<u>37384*</u>	<u>34494*</u>
TOTAL	66460*	93538*	91011*	87357*
1970				
ON	46480	54060	59661	51418
OFF	<u>43474</u>	<u>50930</u>	<u>57573</u>	<u>47901</u>
TOTAL	89954	104990	117234	99319
1971				
ON	44157	49881	53794	45344
OFF	<u>42085</u>	<u>48850</u>	<u>55651</u>	<u>49090</u>
TOTAL	86242	98731	109445	94434
1972				
ON	39312	54053	58914	52950
OFF	<u>41370</u>	<u>56003</u>	<u>61160</u>	<u>53634</u>
TOTAL	80682	110056	120074	106584
1973				
ON	47963	57064		
OFF	<u>51443</u>	<u>56971</u>	—	—
TOTAL	99406	114035		

\*ESTIMATED VALUES  
SINCE DATA FOR  
PACIFIC AIR LINES  
DEPLANING PASSEN-  
GERS WAS NOT  
AVAILABLE



TABLE VI

CALENDAR AND FISCAL YEAR PASSENGER TRAFFIC  
MONTEREY PENINSULA AIRPORT

YEAR	ENPLANING PASSENGERS	DEPLANING PASSENGERS	TOTAL
1962			
ENDING 30 JUN	61434	N/A	N/A
1963			
ENDING 31 DEC	66358	N/A	N/A
1964			
ENDING 30 JUN	75147	N/A	N/A
ENDING 31 DEC	79513	N/A	N/A
1965			
ENDING 30 JUN	78196	N/A	N/A
ENDING 31 DEC	84912	89,050	173,962





TABLE VI

CALENDAR AND FISCAL YEAR PASSENGER TRAFFIC  
MONTEREY PENINSULA AIRPORT

YEAR	CALENDAR YEAR TOTAL	FISCAL YEAR TOTAL
1965		
ON	84,912	78,196
OFF	<u>89,050</u>	<u>N/A</u>
TOTAL	173,962	N/A
1966		
ON	108,113	100,611
OFF	<u>108,724</u>	<u>107,552</u>
TOTAL	216,837	208,163
1967		
ON	123,649	109,272
OFF	<u>122,358</u>	<u>104,642</u>
TOTAL	246,007	213,914
1968		
ON	155,335	147,014
OFF	<u>148,726</u>	<u>142,727</u>
TOTAL	304,061	289,741
1969		
ON	202,300	173,644
OFF	<u>191,066</u>	<u>165,666</u>
TOTAL	393,366	339,310
1970		
ON	211,619	207,030
OFF	<u>199,878</u>	<u>195,927</u>
TOTAL	411,497	402,957
1971		
ON	193,176	205,117
OFF	<u>195,676</u>	<u>196,409</u>
TOTAL	388,852	401,526
1972		
ON	205,229	192,503
OFF	<u>212,167</u>	<u>202,114</u>
TOTAL	417,396	394,617
1973		
ON		216,891
OFF		<u>223,208</u>
TOTAL		440,099



Graph 4 was plotted using quarterly and fiscal year totals and illustrates the increasing trend of passenger enplanements.

Inspection of Graph 4 shows that the third quarter for years 1970, 1971, and 1972 was the busiest of the year. This period coincidentally corresponds to the peak period since 1965 for tourist spending in the Monterey Peninsula Area as determined by the Monterey Chamber of Commerce. Reference 12 also noted that tourism as reflected in trade and service industries is the largest contributor to the economy of the Monterey Area and that the peak tourist time is from July to September. It was felt by both commercial airline managers that tourist travel is especially pre-dominant during this period, but neither had any real data base in this area.


Although not reflected in the data, interviews with the airline managers determined that Friday and Sunday are the busiest days of the week. During these two days the demand for passenger seats often exceeds the supply for a particular flight and passengers often have to wait for the next flight in order to travel. The average load factor [see Appendix F for definition] during this three day week-end period is in excess of 90% during this summer period. The two largest contributors to this traffic were felt to be military personnel and tourists. The second busiest period in addition to the summer periods was felt to be the Crosby Golf Tournament weekend. It is UAL's policy during this occasion to try to schedule as many stretch Boeing 727's as possible to handle the increased demand.

In an attempt to isolate the military market and its effect on the enplaning passenger seat demand, interviews were held and data collected at Fort Ord [Fort Ord handles all Army transportation requests including those of the Defense Language Institute] and the Naval Postgraduate School.



# ENPLANING PASSENGERS MONTEREY PENINSULA AIRPORT

GRAPH 4



\* Fiscal year total unavailable however calendar total for 31 Dec 1963 is higher.



At Fort Ord it was found that all enlisted personnel graduating from their eight week basic training course and being transferred elsewhere were being sent via commercial airlines on the Friday or Saturday following their Thursday graduation. The Army no longer uses rail or bus service with the exception of chartered bus service to transport large groups of graduates to specially chartered flights departing from one of the San Francisco Bay Area airports. Since travel time is unproductive time, the Army desired to minimize it as much as possible. By utilizing air service they feel they accomplish this goal and additionally gain two benefits. First, they do not have to arrange for mass purchase of meals for their personnel enroute. Second, they are able to have their personnel check into a new post and, without loss of continuity, continue their training on the Monday following their Thursday graduation. It should be emphasized that all trainees who are being transferred follow this procedure and that trainees are the largest group of personnel who are regularly transferred to other posts using airline services. It should also be noted that trainees are not authorized to have private automobiles with them during their basic training phase. It was felt by the transportation department at Fort Ord that October and November were their busiest months normally for transferring personnel due to the Christmas leave periods in December and the associated closing of the training facilities for about 3 weeks.

Appendix B.10 shows the number of Army personnel being sent via commercial airlines from various airports as determined from all the transportation requests for 1972 at Fort Ord. Appendix B.11 shows the data on trainees being sent via commercial airlines from Monterey for only a few months in 1971 and from January to July 1973. The number of trainee air enplanements was not recorded for the Monterey Peninsula Airport





until September 1971. Previously, the numbers were kept only for commercial air, bus, and train seats used. The numbers of basic trainee graduates for the years 1967 through 31 August 1973 are shown on a quarterly basis in Appendix B.12.

An attempt was made to correlate the number of trainees completed per month against the number of trainees transferred via commercial airline. The results were inconclusive. Another attempt was made to correlate quarterly enplaning passengers and trainee output as a means of isolating part of the military demand and possibly estimating part of the future enplanement demand. It was apparent from Graph 5 that there was little or no correlation. The decrease in total trainee output from 1968 to 1973 was related to the diminishing requirements for Southeast Asia.


Hughes Air West conducted a survey during the period from July 16 to July 21, 1972, to identify passenger/destination characteristics of the Monterey Peninsula Airport. The survey had a sample size of 1,157 out of a possible 4,750 passengers traveling on both airlines. Local travelers, defined as those whose trip terminated at either San Francisco or Los Angeles; beyond travelers [825], defined as those whose destination was beyond either San Francisco or Los Angeles; and military travelers were the categories sampled. The assumption was made at the conclusion of the survey that the results obtained accurately portrayed the total market. The data obtained from the Transportation Department at Fort Ord when applied to the results of Hughes Air West's survey, however, implied the possibility of unintentional bias introduced in the survey.

The following excerpt was taken from Reference 13:

- "6. Of the total sample, 47% of the respondents were associated with the military. With respect to just the beyond travelers, 53% were military. The local market was even more striking. Only 32% of the local traffic was associated with the military.
7. The total military traffic was equally divided between pleasure and



GRAPH 5  
COMPARISON BETWEEN QUARTERLY ENPLANING  
PASSENGERS vs. FORT ORD QUARTERLY BASIC  
TRAINEE OUTPUT.





business as the purpose of their trip. Of the local military traffic, 84% were traveling for leave or other pleasure related reasons. The military traffic traveling beyond the San Francisco or Los Angeles gateways is only 40% pleasure-related..."

The data in Appendix B.10 for the corresponding month was approximately uniformly distributed on a weekly basis. Also, most of the transportation requests were for destinations beyond San Francisco or Los Angeles, and by quick calculation, there should have been approximately 260 Army personnel on official business traveling beyond either San Francisco or Los Angeles.

Interpreting the survey results, 1796  $[3388 \times .53]$  were classified as military beyond passengers. Of these 1796, 1078  $[1796 \times .6]$  of the military passengers would be on official business. A comparison of the Army data and the Hughes Air West survey results show a large discrepancy. It should be noted that neither military traffic from the Naval Postgraduate School [Appendix B.13] nor military visitors from other commands were included in the above total of 260 due to a lack of pertinent data. It should also be pointed out that the week that the Hughes Survey was undertaken, the Postgraduate School had classes in session and probably contributed very few passengers to the survey.

The inferred conclusion of the foregoing discussion is that the survey may not accurately reflect the total Monterey market. The contributions of the military to the overall market was probably something less than 47% or 28%  $[\.47 \times .6]$  for official military business as reported by the Hughes Survey but probably more than the approximate 6% yearly average official military business enplanements that the Army data would suggest. The actual but unknown percentage probably lies somewhere inbetween.

The last point to be discussed in this section is load factor. As was pointed out earlier, the average three day week-end period load factor





during the third quarter was running in excess of 90%. This figure should be compared to the yearly average load factor of 80% for both airlines. However, load factor should not be construed to conclude that 80% of the passengers on departing aircraft boarded at Monterey. With the exception of two morning flights by UAL, all flights departing from Monterey originate at either San Francisco or Los Angeles, and Monterey is used only as a stopover to deplane or enplane passengers. Many in the 80% load factor do not board at Monterey.

The number and types of aircraft used for airline operations were obtained from FAA records [Appendix B.14] and Monterey Peninsula Airport landing fee receipts [Appendix B.3]. With this information plus the passenger seat capacity of each aircraft as published in Reference 2, the total number of seats available during the year was calculated [Appendix B.14]. Graph 6 shows the total number of seats available per year and plots the passenger enplanements at Monterey. The results show that passengers boarding at Monterey have accounted for 37 to 47% of the capacity of the aircraft for the past five years.


## B. MODEL BUILDING

The dependent variable chosen for the regression equation was enplaning passengers. The socio-economic characteristics of Monterey County chosen to be independent variables for the regression equation were population and income. These two variables were selected because of the completeness of the data available and because estimates or procedures to be followed to calculate estimates were also available. These two variables were also chosen to be used for forecasting local, state, and national enplanements by at least three other studies [Refs. 14, 15, and 6].





GRAPH 6  
 TOTAL SEATS AVAILABLE vs. PASSENGER  
 ENPLANEMENTS PROCEEDING 12 MONTHS  
 AS OF 30 JUN.  
 MONTEREY PENINSULA AIRPORT



\* Data unavailable for 1963 and 1969



Income for the county of Monterey was modified in the following manner:

$$\text{Adjusted Income} = (\text{Income}) \left( \frac{1}{\frac{\text{California}}{\text{Price Index}}} \right)$$

$$\text{California Price Index 1967} = 100$$

The purpose of this variable was to have all the years income compared on the same basis.

A second manner of utilizing income was to calculate the income per capita. The following method was used:

$$\text{Adjusted Income Per Capita} = (\text{Adjusted Income}) \left( \frac{1}{\text{Population}} \right)$$

This variable reflects the income per person in the county in constant 1967 dollars. One reason this particular variable was selected was the intuitively appealing argument that as a person's real income is increased the greater the probability of his eventual usage of air transportation.

Appendix B.15 lists the data for adjusted income, adjusted income per capita, and population. An examination of the overall growth trend of each of the variables will give an idea of how well they will correlate with enplaning passengers. First, note that enplaned passengers have consistently increased in every year except for 1971 and 1972 (refer to Graph 5). The trend of population in the county has been increasing; however, there are periods (notably 1961, 1965, 1968, and 1970) of decreasing population corresponding to some of the larger increases in enplaning passengers. These occurrences will cause a decrease in the correlation coefficient when compared to the results obtained with adjusted income and adjusted income per capita which show fewer periods of decreasing values (1969 and 1970 for adjusted income and 1969 only for adjusted income per capita).



Table VII gives the correlation coefficients and does reflect the above discussion. The high degree of correlation among the variables should also be noted.

Table VIII shows the models that were attempted and the statistical results. Models 1-10 were an attempt to approximate mathematically the average growth rate for enplaning passengers at the airport. Nearly all the models gave good results, however much of this was due to the high degree of correlation between enplaning passengers and years. As a result, only the following two models were chosen for further analysis:

$$\text{Enplaning Passengers} = \beta_0 + \beta_1(\text{YEAR}) + \varepsilon$$

$$\hat{\text{EP}} = -1113.34 + 18.61(\text{YEAR}) + \varepsilon$$

(1.7858)

$$\ln \text{Enplaning Passengers} = \beta_0 + \beta_1 \ln(\text{YEAR}) + \varepsilon$$

$$\ln \hat{\text{EP}} = -5.1878 + 0.15(\text{YEAR}) + \varepsilon$$

(0.9430)

Models 11-13 were an attempt to relate the first of the socio-economic variables population to enplaned passengers. The coefficients of determination for these models were the lowest of all those attempted. Two models were chosen for further analysis:

$$\text{Enplaning Passengers} = \beta_0 + \beta_1(\text{POPULATION}) + \varepsilon$$

$$\hat{\text{EP}} = -555.72 + 2.85(\text{POPULATION}) + \varepsilon$$

(0.6961)

$$\ln \text{Enplaning Passengers} = \beta_0 + \beta_1 \ln(\text{POPULATION}) + \varepsilon$$

$$\ln \hat{\text{EP}} = -26.2772 + 5.67 \ln(\text{POPULATION}) + \varepsilon$$

(1.0721)



TABLE VII

CORRELATION MATRIX FOR ENPLANING PASSENGER  
MODEL VARIABLES

	ENPLANED PASSENGERS	YEAR	ADJUSTED INCOME PER CAPITA	ADJUSTED INCOME	POPULATION
ENPLANED PASSENGERS	1.000	.969	.934	.915	.840
YEAR	.969	1.000	.972	.945	.858
ADJUSTED INCOME PER CAPITA	.934	.972	1.000	.990	.932
ADJUSTED INCOME	.915	.945	.990	1.000	.973
POPULATION	.840	.858	.932	.973	1.000





TABLE VIII

REGRESSION MODELS FOR EXPLAINING PASSENGERS			COMPUTED t VALUE	
MODEL	R <sup>2</sup>	STANDARD ERROR	$\beta_1$	$\beta_2$
1) $EP = \beta_0 + \beta_1 Y + \varepsilon$	.9394	13.833	10.42	
2) $\ln EP = \beta_0 + \beta_1 \ln Y + \varepsilon$	.9392	0.1104	10.40	
3) $\ln EP = \beta_0 + \beta_1 Y + \varepsilon$	.9537	0.0963	12.01	
4) $EP = \beta_0 + \beta_1 Y^{\frac{1}{2}} + \varepsilon$	.1549	51.70	1.13	
5) $EP = \beta_0 + \beta_1 Y^{3/2} + \varepsilon$	.9392	13.86	10.39	
6) $EP = \beta_0 + \beta_1 Y^2 + \varepsilon$	.9390	13.90	10.38	
7) $EP = \beta_0 + \beta_1 (\frac{1}{Y})^5 + \varepsilon$	.9364	14.20	-10.15	
8) $EP = \beta_0 + \beta_1 (\frac{1}{Y}) + \varepsilon$	.9370	14.10	-10.20	
9) $EP = \beta_0 + \beta_1 (\frac{1}{Y})^{3/2} + \varepsilon$	.9373	14.10	-10.23	
10) $EP = \beta_0 + \beta_1 (\frac{1}{Y})^2 + \varepsilon$	.9366	14.10	-10.17	
11) $EP = \beta_0 + \beta_1 P + \varepsilon$	.7059	30.48	4.10	
12) $\ln EP = \beta_0 + \beta_1 \ln P + \varepsilon$	.7998	0.2003	5.29	
13) $EP = \beta_0 + \beta_1 P^2 + \varepsilon$	.7070	30.42	4.11	
14) $EP = \beta_0 + \beta_1 AI + \varepsilon$	.8379	22.63	6.01	
15) $\ln EP = \beta_0 + \beta_1 \ln AI + \varepsilon$	.9073	0.1363	8.28	



MODEL	R <sup>2</sup>	STANDARD ERROR	COMPUTED t VALUE $\beta_1$ $\beta_2$
16) EP = $\beta_0 + \beta_1 AI^2 + \epsilon$	.8525	21.58	6.36
17) EP = $\beta_0 + \beta_1 AIC + \epsilon$	.8714	20.15	6.89
18) lnEP = $\beta_0 + \beta_1 \ln AIC + \epsilon$	.9320	0.1168	9.79
19) EP = $\beta_0 + \beta_1 AIC^2 + \epsilon$	.8800	19.50	7.17
20) EP = $\beta_0 + \beta_1 P + \beta_2 AI + \epsilon$	.8872	20.39	-1.62
21) lnEP = $\beta_0 + \beta_1 \ln P + \beta_2 \ln AI + \epsilon$	.9318	0.1263	-1.47
22) EP = $\beta_0 + \beta_1 P^2 + \beta_2 AI^2 + \epsilon$	.8940	19.77	-1.53
23) EP = $\beta_0 + \beta_1 P + \beta_2 AIC + \epsilon$	.8783	21.18	-0.58
24) lnEP = $\beta_0 + \beta_1 \ln P + \beta_2 \ln AIC + \epsilon$	.9323	0.1259	-0.16
25) EP = $\beta_0 + \beta_1 P^2 + \beta_2 AIC^2 + \epsilon$	.8843	20.65	-0.47

EP = ENPLANING PASSENGERS

Y = YEAR

P = POPULATION

AI = ADJUSTED INCOME

AIC = ADJUSTED INCOME PER CAPITA

REFER TO APPENDIX D FOR VALUES OF COEFFICIENTS

TABLE VIII



Models 14-16 related adjusted income to enplaned passengers. The results obtained for the coefficient of determination were the second lowest of the four groups of models, but were still highly significant. Two models were also taken from this group for further analysis:

$$\text{Enplaning Passengers} = \beta_0 + \beta_1(\text{Adjusted Income}) + \epsilon$$

$$\hat{EP} = -182.70 + 0.38(\text{Adjusted Income}) + \epsilon$$

(0.0630)

$$\ln \text{Enplaning Passengers} = \beta_0 + \beta_1 \ln(\text{Adjusted Income}) + \epsilon$$

$$\ln \hat{EP} = -11.8637 + 2.48 \ln(\text{Adjusted Income}) + \epsilon$$

(0.3001)

Models 17-19 related adjusted income per capita to enplaning passengers. The results of the coefficient of determination were the second best of the group and were very close to the results using years as the variable. Here again, two models were selected for further evaluation:

$$\text{Enplaning Passengers} = \beta_0 + \beta_1(\text{Adjusted Income per Capita}) + \epsilon$$

$$\hat{EP} = -383.35 + 150.31(\text{Adjusted Income per Capita}) + \epsilon$$

(21.821)

$$\ln \text{Enplaning Passengers} = \beta_0 + \beta_1(\text{Adjusted Income per Capita}) + \epsilon$$

$$\ln \hat{EP} = -0.2946 + 4.15 \ln(\text{Adjusted Income per Capita}) + \epsilon$$

(0.4242)

Models 20-22 and 23-25 were an attempt to combine either adjusted income or adjusted income per capita with population and improve the results of the regression equations. The results did show an increase in the coefficient of determination. However it was only a slight improvement over using either adjusted income or adjusted income per capita alone. The statistical results showed that the values for the coefficients of the



variable population were not significantly different from zero. For the added complexity and the multicollinearity effects due to the high correlation between all the variables, the addition of the second variable did little to improve the forecasts. Therefore, none of the models 20-25 were used for further analysis.

### C. FORECAST OF ENPLANED PASSENGERS

The forecasts for enplaned passengers were made using the eight models selected above and Appendix B.16 summarizes the data used for the explanatory variables.

The forecasted population data came from three sources. Reference 16 was the first source. All the forecasts for the required years were low due to the exclusion of military personnel in the county. Because of the classified nature of personnel stationed in Monterey County, only estimates of this population have been found; they range from 40,000 [Ref. 17, p. 9-10] in 1967 to 25,000 in 1972. This latter figure is probably a good figure to add to all the figures to find total population due to probability of the military population remaining constant in size. The second source of population forecast was the simple regression model

$$\ln(\text{Population}) = \beta_0 + \beta_1 \ln(\text{Year}) + \varepsilon$$

where  $\beta_0 = -234.0$

$$\beta_1 = 34.8$$

The coefficient of determination for this model was 0.93. This particular model fitted the population data available reasonably well and gave results which were somewhat lower than those given in Reference 18 which has tended to over estimate consistently population forecasts for the country. The last source of population data was based on information





gained through interviews with DMJM and the Monterey County Planning Commission personnel and from data found in Reference 12, chapter 3.

The forecasted adjusted income and adjusted income per capita data were arrived at by a methodology suggested by the Monterey County Planning Commission in reply to a SMATS survey for 1995 forecasts. According to the commission, the real growth in income has been averaging 3.3% per annum and should continue in the future. The 3.3% per annum figure was applied to the adjusted income and also the adjusted income per capita. The results of the latter method were comparable to the results obtained in Reference 14, p. 9. The adjusted income per capita results were multiplied by population forecasted by both the regression model and the interview results to obtain additional adjusted income figures.

Table IX shows the results of forecasting enplaning passengers using the forecasted values for population, adjusted income, and adjusted income per capita. Models II, IV, VII, and VIII were dropped from further analysis due to the rather large forecasts they gave for years 1980 and 1985. The percentage increases from 1972 to 1985 averaged approximately 335% and based on historical increases this large increase seemed unreasonable. A cause for such a large increase in growth for the natural logarithmic models was due to the fact that only ten years of data was used for model building and a forecast for a time period of fourteen years was made. The forecast time period was probably well beyond the reliable period of the model.

Models I, III (b), V (a), V (b), and VI were used to plot Graphs 7 and 8. For comparative purposes only, UAL (Appendix B.7) and FAA (Appendix B.6) were included.

In order to reduce the number of forecasts even further to a most likely case, two procedures were used to modify the results of the models'



FORECAST OF ENPLANED PASSENGERS

MONTEREY PENINSULA AIRPORT

TABLE IX

MODEL	1973		1974		1975		1980		1985	
	FORECAST	P. I. ±	FORECAST	P. I. ±	FORECAST	P. I. ±	FORECAST	P. I. ±	FORECAST	P. I. ±
I	244,900	34,300	263,500	36,400	282,100	38,700	375,200	52,000	468,200	66,900
II	344,700	12,700	351,700	12,900	408,300	13,100	861,500	14,400	1,815,000	15,900
III	*		*		148,700	61,300	230,400	75,600	323,100	106,800
	198,100	67,900	225,800	74,400	257,100	83,600	411,800	142,400	600,700	225,800
	197,500	67,800	214,600	71,600	239,500	78,200	337,300	112,300	402,900	126,100
IV	208,200	15,600	255,100	16,100	312,700	17,800	857,400	22,300	2,353,000	30,900
V	233,400	55,100	247,100	57,700	261,300	60,600	339,600	79,200	431,600	104,300
	254,600	59,200	285,600	66,000	321,500	74,200	521,800	130,400	807,700	217,400
	254,300	59,100	279,000	64,400	309,600	71,600	467,600	113,800	638,300	165,400
VI	273,500	55,800	295,100	60,000	317,500	64,900	441,100	93,900	586,300	131,000
VII	251,700	13,800	272,900	13,900	295,900	14,000	442,900	14,900	662,900	16,000
	284,900	14,000	337,800	14,300	403,700	14,700	931,500	17,100	2,398,700	20,300
VIII	341,200	13,600	390,300	13,800	447,200	14,100	877,000	15,600	1,719,800	17,500



FORECAST OF ENPLANED PASSENGERS  
MONTEREY PENINSULA AIRPORT

TABLE IX


MODEL

- I ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{YEAR}) + \epsilon$
- II NATURAL LOG ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{YEAR}) + \epsilon$
- III ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{POPULATION}) + \epsilon$
- (a) CIVILIAN POPULATION ONLY FROM CALIFORNIA COUNTY FACT BOOK 1972
- (b) POPULATION FROM REGRESSION EQUATION SEE APPENDIX D.5
- (c) POPULATION FORECAST BASED ON INTERVIEW
- IV NATURAL LOG ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{ADJUSTED INCOME}) + \epsilon$
- V ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{ADJUSTED INCOME}) + \epsilon$
- (a) ADJUSTED INCOME BASED ON 3.3% YEARLY INCREASE
- (b) ADJUSTED INCOME =  $[3.3\% \text{ YEARLY INCREASE ADJUSTED INCOME PER CAPITA}] \times [\text{REGRESSION POPULATION}]$
- (c) ADJUSTED INCOME =  $[3.3\% \text{ YEARLY INCREASE ADJUSTED INCOME PER CAPITA}] \times [\text{INTERVIEW POPULATION}]$
- VI ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{ADJUSTED INCOME PER CAPITA}) + \epsilon$
- VII NATURAL LOG ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{NATURAL LOG ADJUSTED INCOME}) + \epsilon$
- (a) ADJUSTED INCOME DETERMINED AS IN V(a)
- (b) ADJUSTED INCOME DETERMINED AS IN V(b)
- VIII NATURAL LOG ENPLANED PASSENGERS =  $\beta_0 + \beta_1(\text{NATURAL LOG ADJUSTED INCOME PER CAPITA}) + \epsilon$

\* POPULATION DATA UNAVAILABLE




GRAPH 7  
ENPLANING PASSENGER FORECAST  
MONTEREY PENINSULA  
AIRPORT







GRAPH 8  
PREDICTION INTERVALS  
ENPLANING PASSENGER FORECAST  
MONTEREY PENINSULA  
AIRPORT





forecasts. In order not to lose any information which may be contributed by each model, the first procedure used the coefficient of determination ( $R^2$ ) as a measure of efficiency. Each model contributed to the overall results in the following manner: all five values for  $R^2$  were summed and then each model's value of  $R^2$  was divided by the summed value to determine the proportion or weighted average of its forecast which would be contributed to the most likely forecast case. The results are shown in Table X for both forecasts and their ranges.

The second method for forecasts was based on an interpretation of Graph 8. Each model was assumed to give equally probable results. Therefore, the common interval which was spanned by the Prediction Interval's of each model was assumed to have the most probable forecast. The high and low values of these intervals for the forecast years was determined and a most probable forecast was calculated by the following procedure

$$\text{Most Probable Forecast} = \frac{\frac{\text{Common Interval}}{\text{High Value}} + \frac{\text{Common Interval}}{\text{Low Value}}}{2}$$

$$\text{Range} = \pm \frac{\frac{\text{Common Interval}}{\text{High Value}} - \frac{\text{Common Interval}}{\text{Low Value}}}{2}$$

Table X shows the results for the forecasts and their ranges. It should also be observed from Table X that the results for enplaning passengers is nearly the same regardless what method is chosen.

Graph 9 compares UAL, FAA, and both of the above forecasts. Although the mean forecasts produced by the above methods are slightly less than the FAA result and approximately 20% less than UAL forecast, it is significant to note that the last available forecast made by UAL was in 1969 and it showed a 20% reduction in the forecast made one and a half years earlier. Also, it can be observed that both the FAA and UAL results are




TABLE X

REVISED FORECAST OF ENPLANING PASSENGERS  
MONTEREY PENINSULA AIRPORT

MODEL	1973		1974		1975		1980		1985	
	FORECAST	RANGE + -	FORECAST	RANGE + -	FORECAST	RANGE + -	FORECAST	RANGE + -	FORECAST	RANGE + -
R <sup>2</sup> WEIGHTED AVERAGES	242,500	53,500	261,700	57,100	283,600	61,700	393,900	88,600	508,500	117,400
AVERAGE BASED ON PREDICTION INTERVAL	238,000	27,400	260,700	25,600	285,200	32,600	386,300	32,500	500,500	27,600



GRAPH 9  
 REVISED ENPLANING PASSENGER FORECAST  
 MONTEREY PENINSULA AIRPORT







within the prediction interval of the mean forecast found by the weighted average method above. Reference 19 is an article based on the first quarter results of 1973 for airline revenue passenger miles which gives credibility for possible lower forecasts in the future.

#### D. SENSITIVITY OF FORECASTS

The basic premise upon which the forecasts of the regression equation are based is that all externalities which influenced the variables in the past will continue in the same manner in the future. This fact is especially true when doing trend analysis based solely on years as the independent variable.

County population growth may be dependent in the future on the available water supply. Presently there are only three reservoirs and countless wells in the county furnishing water. The reservoirs do not store enough water to furnish the county water needs during the dry summer nor is the water table completely adequate; water from the wells in Castroville area has been known to get brackish during the latter months of summer. Carmel Valley and the City of Monterey during the month of August 1973 were seriously considering a moratorium on all residential construction until more sources of water could be found. One proposal was a dam on the Carmel River in upper Carmel Valley.

A large change in the composition of the population would, besides effecting adjusted income and adjusted income per capita, effect annual passenger growth. There have been discussions and attempts to bring the home offices of large business firms to the Monterey Peninsula Area. The reasons sighted included the beauty and serenity of the area. A large increase in professional people brought here by these businesses would certainly increase the probability of greater airport passenger growth



more than a correspondingly large influx of farm workers during the harvesting seasons.

The attractiveness of the Monterey Peninsula area has been one of the primary attractions for bringing in tourists. The Monterey Peninsula Chamber of Commerce has reported that the third quarter each year motel and hotel occupancy rates average nearly 95% weekly and 100% during the weekend. During the winter months or first quarter each year this occupancy rate has dropped to approximately 50%. Reference 12 reported the same results and added another point. There has been no great overbuilding of rooms in the area and any additional building would not be an overburden but may generate its own demand. The proposed Monterey Convention Center and Hotel Complex would be an example of this type building when combined with the Monterey Peninsula Visitors and Convention Bureau's philosophy of trying to promote more conventions during the slower winter months. New construction may have a final overall effect of markedly increasing air travel to the area.

The military establishment size in the county is a volatile force and has a definite effect on air passenger travel as suggested in Chapter two. Fort Ord is the largest yearly contributor to air travel of all the military establishments in the area even though it has been decreasing in numbers since the end of operations in Southeast Asia. At the present time it is the only basic training center on the West Coast and will probably remain at its current manning level during the foreseeable future according to interviews with officials. Only great changes in foreign or national policy were given as reasons for the possible changes from the present size. The Naval Postgraduate School and Defense Language Institute are not programmed to have major changes in size, and their contribution to airport passengers will probably remain at the current level.



The effects of the "fuel crisis" should also be mentioned as a possible means of changing passenger growth. Because of the reduction of aviation fuel available and its increased costs, the airlines will be reducing some of their schedules and mothballing some of their aircraft. Both airline managers felt that they had secure schedules due to their high margin over company computed break-even points.

Automobile speeds have been reduced by state legislative action and the price of gasoline is constantly being raised. The results of these two actions may make an airline trip for business and/or pleasure more attractive. This could be especially true for the Monterey Area since there is no longer any train service and bus service may be time consuming considering the location of Monterey. The end effect may be an increase in passenger service.

Lastly, Monterey Peninsula Airport serves as a feeder airport to both Los Angeles and San Francisco. At either of these two airports, a passenger must change aircraft to reach ultimate destinations. UAL is currently planning a possible flight which originates in Monterey and flies directly to Denver and then on to Chicago. If there is sufficient interest in such a market, the service may be inaugurated sometime in 1974. The added convenience of not having to change planes in San Francisco and reducing the possible associated inconvenient layovers plus the possibility of not having to pay for a trip to San Francisco may increase future passenger enplanements at the airport.

#### E. PASSENGER ASSOCIATED VISITORS

As was mentioned in Chapter II, there have not been any studies conducted at the airport to determine the passenger associated visitors who use the terminal and street side interface. These visitors probably are





the second largest contributors to utilization of the airport facilities during the periods before and after a scheduled airline flight. Graph 10 shows the airline scheduled arrivals and departures. It can be observed that the time period between 1400 and 1500 represents the potentially largest influx of people at the airport.

Because the airport has a large military and tourist market and associated with them relatively few airport visitors, it was assumed that the relation between passengers and passenger related visitors would probably be four passengers for every three passenger related visitors. It was further assumed that the number of scheduled flights into Monterey will not change, and the mix of aircraft utilized is similar to the mix used for the year ending 30 June 1971 (Appendix B.14). Both of these assumptions are probably very weak since as demand becomes heavier there would probably be a change in number of flights and/or mix and type of aircraft. Lastly, it was assumed that the number of enplaning passengers is equivalent to the number of deplaning passengers.

Combining the capacity of the mix of aircraft and the forecasted enplaning passengers (Table X), a per cent utilization may be calculated and a figure for average enplaning passengers per flight may be calculated. The results of these calculations are shown in Table XI.

The calculations are a suggested method to predict the number of passenger related visitors. Any of the assumptions may be changed or modified to reflect new information. The results may be utilized later for capacity studies, for example, to determine the adequacy or inadequacy of present terminal area facilities, the need for remodeling to increase passenger processing rates, the possible need for remote site passenger processing service, or the need for some type of airport ground transit system.






# GRAPH 10 AIRLINE SCHEDULED ARRIVALS / DEPARTURES MONTEREY PENINSULA AIRPORT

Arrivals

Departures



⊙ = Valley Airlines



PASSENGER ASSOCIATED VISITORS  
MONTEREY PENINSULA AIRPORT

TABLE XI

YEAR	PASSENGER CAPACITY OF AIRCRAFT/YR (1)	FORECAST OF ENPLANING PASSENGERS (2)	PER CENT UTILIZATION OF AIRCRAFT (2)÷(1)=(3)	CAPACITY OF B-727-222 AND DC-9-30 (170 + 115) (4)	TOTAL ENPLANING PASSENGERS (3)x(4)=(5)	TOTAL PASSENGERS 1400 TO 1500 (5)x2=(6)	ASSOCIATED VISITORS 1400 TO 1500 (6)x3/4=(7)	ASSOCIATED VISITORS/YR (2)x3/4=(8)
1973	542,200	242,500	44.7	285	127	254	192	181,900
1974	542,200	261,700	48.2	285	137	274	206	196,300
1975	542,200	283,600	52.3	285	149	298	224	212,700
1980	542,200	393,900	72.7	285	207	414	311	295,400
1985	542,200	508,500	93.8	285	267	534	401	381,400



## V. AIR CARGO

### A. HISTORICAL GROWTH

Table XII shows the enplaned revenue tons of freight, express, and mail at Monterey Peninsula Airport for calendar and fiscal years starting with 30 June 1962 and ending 30 June 1972. Graph 11 also presents the same data for the fiscal years only.

During the fiscal years from 1962 to 1967, the growth of freight and express was low, averaging an approximate 13% growth rate per year. This small increase can be partially explained by the airlines use of propeller aircraft with small cargo areas.

During the period from July 1967, to June 1969, the airlines serving Monterey transitioned from their all propeller fleet of aircraft to a nearly complete fleet of jet aircraft (the Fairchild Industries' F-27 is the only propeller aircraft still utilized). As observed from Graph 11, this period showed a very large increase in the growth of enplaned revenue tons of cargo due primarily to the increased cargo capacity of the jet aircraft.

The fiscal year 1970 was the first period when all scheduled flights were composed of the new fleet. During this period, the first reduction in the high air cargo growth rates of the transition period occurred. This reduction may be the beginning of a trend toward lower growth rates similar to the ones of the early 1960's when most of an aircraft's cargo capacity was utilized.

Mail has been a constantly decreasing portion of the total air cargo enplaned at the airport. From the data in Table XII, mail was approximately 60% of the total enplaned cargo from 1962 until 1967, and then it



TABLE XII

MONTH/YR	AIRLINE CARRIER	EXPLANED REVENUE TONS					TOTAL FREIGHT & EXPRESS	TOTAL FREIGHT & EXPRESS & MAIL
		FREIGHT	EXPRESS	PRIORITY	U.S. MAIL NONPRIORITY	TOTAL		
JUN 62	PC UL	6.34 54.51	3.79 24.40	61.71 27.35		100.04 28.05	89.04	217.13
DEC 63	PC UL	2.39 47.13	15.86 23.15	67.82 33.30		98.95 42.15	88.53	229.63
JUN 64	PC UL	2.81 61.34	14.57 25.75	57.81 47.80		87.24 64.15	104.47	255.91
DEC 64	PC UL	3.87 69.10	3.63 27.70	52.03 57.80		87.24 64.20	104.3	263.19
JUN 65	PC UL	3.89 62.40	1.84 23.20	57.85 53.80		88.84 70.05	91.33	246.25
DEC 65	PC UL	3.26 65.95	2.22 20.10	72.53 55.10		93.82 61.10	91.53	260.57
JUN 66	PC UL	3.03 79.70	1.71 19.05	79.15 80.85		99.79 69.25	103.49	302.58
DEC 66	PC UL	3.87 84.85	2.98 15.25	97.29 83.65		102.14 96.95	106.95	320.47
JUN 67	PC UL	13.85 84.85	3.15 12.35	124.76 68.55		119.47 94.05	122.4	351.54
DEC 67	PC UL	13.85 93.05	1.24 11.65	103.50 86.60		150.44 78.70	167.34	396.63






TABLE XII

MONTH/YR	AIRLINE CARRIER	EXPLANED REVENUE TONS				TOTAL FREIGHT & EXPRESS	TOTAL FREIGHT & EXPRESS & MAIL
		FREIGHT	EXPRESS	U.S. MAIL			
				PRIORITY	NONPRIORITY		
DEC 68	PC	32.05	1.21	55.03		85.16	
	UL	242.25	19.60	134.95		170.10	550.37
JUN 69	PC	45.91	3.21	19.55		48.52	
	UL	331.20	23.10	109.65		150.55	602.49
JUN 70	PC	37.70	.31	3.24		23.71	
	RW	33.38	.21	.00		5.07	
	UL	433.60	38.45	54.85		80.75	653.18
JUN 71	RW	128.37	1.40	32.55	5.26	37.81	
	UL	467.76	39.36	21.06	6.83	27.89	
	WA	2.00				638.89	704.59

SOURCE: FAA AIRPORT ACTIVITY STATISTICS



GRAPH II  
ENPLANED REVENUE TONS FOR PROCEEDING 12 MONTHS  
AS OF JUN 30





began to decrease until, in 1971, it only represented approximately 10% of the total enplaned cargo. This decrease was partially explained by the continuing consolidation of mail at the Salinas Post Office for forwarding to San Francisco International Airport.

Appendix B.17 gives the total yearly cargo carrying capacity of the fleet of aircraft serving the airport from 1962 to 1973. This is the maximum possible cargo carrying capacity since the actual cargo capacity available is a balance among various factors. Depending on the lift capabilities or performance characteristics of the aircraft and on airport characteristics such as runway and taxiway bearing capacities and runway length, a trade-off in the number of passengers, amount of cargo, and amount of fuel to be carried must be made. The average total cargo carrying capacity of the propeller fleet during the years 1962 to 1966 was 5,580 tons, and the average total cargo carrying capacity of the jet fleet during the years 1970 to 1973 was 38,570 tons. This amounts to an approximate 600% increase in capacity between the two periods. This percentage increase by coincidence is nearly matched by the 650% increase in enplaned cargo at the airport (89 tons carried in 1962 increasing to 639 tons in 1971) suggesting that the airlines are perhaps utilizing the available cargo capacity.

The composition of the air cargo carried by the airlines was determined through interviews with the airline managers. The cargo included high value items like art works, high priority machine parts for the few industries in the county (Firestone Company in Salinas for example), and highly perishable items, such as flower cuttings, seeds and bull semen, which are used in the agri-business of the county. Some bulky items like household effects and books (McGraw-Hill is one of the primary contributors) are also shipped.



## B. FORECASTING

There were no attempts made to forecast future air cargo enplanements using regression techniques after analyzing the available data. By dividing the data into three separate time periods as above, it was apparent that the last period consisting of a single data point was insufficient to make reasonable forecasts with any degree of confidence.

Once again using interviews with airline managers, it was determined that air cargo operations were only of secondary importance. Passenger service was their primary interest and only if the county became more industrialized would greater emphasis probably be placed on air cargo operations. It was also felt that if the number of flights increase or larger aircraft introduced into service to Monterey, any increase in air cargo operations could be adequately handled.

It was felt by UAL that night flights are the most desirable for an all freight operation due to the possible greater utilization of equipment. However, two factors tend to discourage their usage of night operations at Monterey. First and most obvious is the fact that the airport closes at 11 o'clock nightly. Second, due to the small market, the fixed and variable costs would probably not be covered (there is a pay differential for flight and ground crews working nights). One final factor pointed out was the possible loss of part of their present market. Short delivery time is one of the major attributes of air delivery. If an all freight scheduled service were initiated, the possibility exists that it would not be scheduled daily due to the small market and other modes of transportation at cheaper costs would be more attractive than air delivery.

For informational purposes only UAL forecasts for air cargo are shown in Appendix B.7.





## VI. STREET SIDE INTERFACE

### A. DATA ANALYSIS

As noted in Chapter II, the Street Side Interface of the airport is composed of roadway and parking areas. Olmstead Road, between Garden Road and the airport parking lots, and Henderson Way serve as the sole arteries for access and egress traffic to the airport. Only one traffic survey, which was conducted by SMATS from 7-21 October 1970, was available for this particular area [Ref. Appendix B.20]. The only other traffic survey available was made by the city of Monterey during the period from 22-24 February 1971, but it was located to record a traffic count on Olmstead Road between Garden Road and Route 68. The site however recorded only a portion of airport traffic and also included traffic whose ultimate destination was not associated with the airport (i.e., commuter traffic going into either Salinas or Monterey). Table XIII shows the average peak hour traffic counts for both studies.

The results of the two studies are not surprising considering airline scheduling philosophy and the normal working hours of the majority of people. Airlines normally have reserved block times for departing aircraft from large airports. Since Monterey is considered a feeder airport, flights departing Monterey must arrive at either San Francisco or Los Angeles prior to a block time in order for passengers to make connecting flights. The peak times for the traffic studies do correspond to local block times according to the airline managers. The peak traffic times also correspond to normal commuter traffic hours which is also logical considering the number of businesses operating in the airport industrial park area and the proximity of the main Salinas-Monterey traffic artery.



TABLE XIII

TRAFFIC STUDY SUMMARY  
OLMSTEAD ROAD

## SMATS

7 OCT TO 21 OCT 1970

PEAK HOURS	AVERAGE TRAFFIC CARS/HR
0700-0800	140
1300-1400	240
1500-1600	265
1700-1800	265

## CITY OF MONTEREY

22 FEB TO 24 FEB 1971

PEAK HOURS	AVERAGE TRAFFIC CARS/HR
0700-0800	273
1300-1400	256
1600-1700	283
1900-2000	122



An unfortunate situation arises when trying to correlate the number of enplaning/deplaning passengers with the traffic data. Neither airline manager could furnish either flight schedules or enplaning/deplaning passenger counts for the time periods of the traffic surveys.

Because of the above situation, the same procedure as in Table XI of Chapter IV was used to estimate total passengers deplaning and enplaning four scheduled flights at Monterey between the hours of 1500-1600. The result using annual enplaning passengers equal to 205,117, total capacity of the aircraft for the fiscal year 1971 equal to 536,845, and passenger capacity of two aircraft (a B 737-200 and a DC-9-30) equal to 234 was 178 passengers. This result when combined with one half the vehicle count for the same time gave a value of .97 passengers per vehicle.

A survey made for the Santa Barbara Airport by the South Coast Transportation Study (SCOTS) in November 1968 showed the average number of airline passengers per vehicle was approximately 0.75 [Ref. Appendix B.18]. At the time of the survey, the only means of conveyance to and from the airport were limousine and cab service and private automobiles. This is a situation quite comparable to Monterey.

Due to the procedures used to obtain a figure for passengers per vehicle and in light of no contradictory evidence, a figure of 0.90 passengers per vehicle was used for further calculations.

Two studies conducted by the U.S. Department of Transportation emphasized the extent to which the automobile is utilized as the primary means of conveyance to airports. Reference 20, pg. 81 stated,

"Airport access today is predominately by automobile. Over 90% of the ground access to airports in this country is by automobile."

Reference 21, pg. 5-12 also stated,

"A recent survey of auto traffic at JFK, LA, SF, and Washington National revealed that 73-85% of the people arriving at and departing from these airports do so by private car and taxi."



In a further effort to define the composition of the traffic the origin-destination study of Reference 22 indicated that for the 213,800 weekly person-trips to and from the Cleveland-Hopkins airport, 36% were air passengers, 46.5% were passenger related visitors, 13.9% were employees and 3.3% were casual visitors.

In light of the above surveys, it was felt that the result to be used for forecasting passengers per vehicle was not unreasonable.

## B. FORECASTS

The two objectives of this section are to present a possible methodology for making Street Side Interface forecasts and to show the results obtained from using the methodology. The time period chosen is for a one hour period during which two scheduled arrivals and departures occur. This is not an uncommon occurrence as shown in Graph 10 Chapter IV.

The number of automobiles utilizing the roadway can be calculated by combining the results of Table XI and the above factor of 0.90 passengers per vehicle. Another part of the Street Side Interface, the number of parking spaces utilized will depend on the length of time a space is occupied.

Assume that an enplaning passenger must check-in thirty minutes prior to scheduled departure in order to be processed. Also assume that a visitor accompanying the passenger will wait for approximately ten minutes after a scheduled flight's take-off before departing the airport. Therefore, the total time that a parking space may be occupied is forty minutes. A further assumption was made concerning the percentage of passenger related visitors which remain for this period. Sixty percent was the arbitrary proportion selected.





Deplaning passengers were assumed to spend thirty minutes after landing waiting to pick up baggage and depart the airport. Their associated visitors were assumed to be at the airport ten minutes prior to arrival times. Once again the total time for an occupied parking space is forty minutes. Of the total automobiles that would be associated with the deplaning passengers, only 85% were assumed to occupy parking spaces.

Appendix E shows the calculations and Table XIV summarizes the results of the calculations.



TABLE XIV

STREET SIDE INTERFACE UTILIZATION  
FORECASTS

YEAR	AUTOS UTILIZING ROADWAY PER PEAK HOUR	MAXIMUM PARKING SPACES REQUIRED
1973	282	205
1974	304	220
1975	332	240
1980	460	334
1985	594	430



## VII. CONCLUSION

### A. RESULTS

Forecasts for General Aviation Operations, Passenger Enplanements, Passenger Associated Visitors, the number of automobiles utilizing the roadway during the peak hour (2 scheduled airline departures and 2 scheduled arrivals within the same hour), and parking spaces required at the peak interval during a peak hour have been made for specific years up to 1985. In the case of general aviation operations and passenger enplanements, simple models were used with independent variables whose forecasted values were readily available from Federal, State, and/or County agencies. It must be noted that the accuracy and reliability of the governmental agencies' forecast will have a direct influence on the accuracy of the forecasts calculated by the models presented. The models were also designed so that yearly revisions of the model's coefficients could be accomplished as new data becomes available. In time, more accurate forecasts should become available if this procedure is followed.

Because commercial airlines are capable of changing operations in such a manner as to have a direct influence on future airport growth, close liaison with airline officials is required in order to maintain reliable forecasts. A direct comparison of forecasts calculated by the models presented and those of the commercial airlines (UAL for example) will enable airport officials to make better and more timely decisions for future airport development.



## B. RECOMMENDATIONS

There currently exists a definite lack of data in certain areas and surveys need to be established to determine at least three items.

1. The proportion of various passenger categories (i.e., military, tourist, and business) should be established on a seasonal or periodic basis. Enplaning passengers as shown on Graph 4 may be establishing cyclic trends with one type of traveler more prevalent during one time period than another. Separate forecasting models for each category could be made and the results summed to give final results. Spot surveys over the entire year vice only one survey per year are needed to accomplish this goal.

2. The modes of ground transportation and the numbers of passengers utilizing these modes needs to be established. Presently, this type of data is not available for Monterey Peninsula Airport and, as a result, the calculations in Chapter VI are unsubstantiated and are only a rough estimate of the actual situation. A coordinated study with SMATS and the City of Monterey over several time periods within a year would be mutually beneficial for future local public transportation and roadway access developments.

3. Lastly, a spot survey to determine the number and length of time parking spaces are occupied with relation to airline passengers needs to be made.

After the above surveys are completed or when more accurate or pertinent data is made available, a capacity study on the various types of operations as described in this thesis should be made. The results of the two studies when combined would determine which airport operations and/or facilities would become inadequate first. This information could then be used to establish priorities for projects by the Airport Board of Directors.





APPENDIX A  
REGRESSION ANALYSIS

Simple Linear Regression

When no particular functional form is suspected, a simple (two-variable) linear model is frequently used to describe the relationship between two variables. In this case, the equation of the model is

$$y = a + bx \quad (1)$$

Least-Squares Estimating

Given equation (1), the basic problem in the first phase of the regression analysis is to derive estimates of the parameters  $a$  and  $b$ . The values of  $a$  and  $b$  are determined by the requirement that the sum of the squares of the deviations of the sample observations from the estimated line will be a minimum. Symbolically:

$$\min \sum_{i=1}^n (y_i - \hat{y}_i)^2 \quad (2)$$

where  $y_i$  is the  $i^{\text{th}}$  observation and  $\hat{y}_i$  is the value of  $y_i$  estimated from the equation

$$\hat{y}_i = \hat{a} + \hat{b}x_i \quad (3)$$

The carets over  $a$  and  $b$  indicate that  $a$  and  $b$  are least-squares estimates of the true but unknown values of  $a$  and  $b$ .

The minimum value for this sum is satisfied by substituting Eq. (3) in Eq. (2), taking the partial derivatives of Eq. (2) with respect to  $a$  and  $b$ , and setting the results equal to zero. The next step is to solve for  $a$  and  $b$  using the following two equations



$$\sum_{i=1}^n y_i = na + b \sum_{i=1}^n x \quad (4)$$

$$\sum xy = a \sum x + b \sum x^2 \quad (5)$$

The measure of the dispersion about the regression line is called the standard error of estimate (SE) of the equation. The standard error of estimate is calculated by

$$SE = \frac{\sum_{i=1}^n (y_i - \hat{y}_i)^2}{n-2} \quad (6)$$

One measure of dispersion in a collection of data points is called the variance. The variance is defined as the sum of the square distances to each of the data points from a central reference point divided by the degrees of freedom (df), which equal the number of independent bits of information contained in the sample.

In least-squares procedures, the central point of reference for calculating the variance of each variable is its simple mean, which causes the least-squares line to have the property of passing through the means of the variables used to estimate the line. The simple mean of either the dependent or independent variable may be calculated as follows:

$$\bar{y} = \frac{\sum_{i=1}^n y_i}{n} \quad (7)$$

The total variance of y is calculated total variance of

$$y = \sum_{i=1}^n \frac{(y_i - \bar{y})^2}{n-1} \quad (8)$$

The explained variance of y is calculated

$$\text{Explained variance of } y = \sum_{i=1}^n \frac{(\hat{y}_i - \bar{y})^2}{n-2} \quad (9)$$

The unexplained variance of y is calculated



$$\text{Unexplained variance of } y = \sum_{i=1}^n \frac{(y_i - \hat{y}_i)^2}{n-2} \quad (10)$$

A measure of dispersion is defined by the proportion of total variance accounted for by the estimating relationship

$$\begin{aligned} R^2 = \text{Coefficient of determination} &= \frac{\text{Explained Variance}}{\text{Total Variance}} \\ &= 1 - \frac{\text{Unexplained Variance}}{\text{Total Variance}} \quad (11) \end{aligned}$$

When all the observed points in a sample are on the least-squares line, the coefficient of determination equals 1 and there is no unexplained or residual variance. As the proportion of total variance that remains unexplained increases, the coefficient of determination approaches zero.

Statistical inference may be used to answer two questions that arise in connection with the problem of reliability. To decide whether  $x$  and  $y$  are actually related, test for statistical significance; to evaluate predictions, establish a prediction interval for the regression line.

The method of testing the significance of the relationship between  $x$  and  $y$  involves establishing the null hypothesis that  $x$  and  $y$  are not related (i.e., that  $b = 0$ ), and testing to determine whether the hypothesis should be rejected. The test that is commonly used for this purpose is known as the  $t$ -test because it uses the  $t$ -ratio, or ratio of a coefficient to its standard error. For this simple regression, the ratio is expressed as

$$t_b = \frac{\hat{b}}{S_b} \quad (12)$$

where  $S_b$  = the standard error of  $b$

$$S_b = \frac{SE}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2}} \quad (13)$$

If the calculated value  $t_b$  falls below the appropriate value of  $t$  selected from this table, the null hypothesis that  $b = 0$  would be accepted, and it would be concluded that  $b$  is, in fact, not significantly different from zero.



The procedure for calculating the prediction interval for a simple regression is as follows. The prediction interval puts a boundary around  $\hat{y}_i$ :

$$\hat{y} \pm A \epsilon/2 \quad (14)$$

There is a certain level of confidence  $(1-\epsilon)$  that the cost of a set weighing  $x$  will be in that interval.

Values for  $\epsilon/2$  rather than  $\epsilon$  are used since  $y$  is to be bounded on both sides. The values of  $\epsilon$  can be divided by two since under the assumptions, the probability distribution about  $y$  is normal and therefore is symmetrical. A two-tailed  $t$  distribution for constructing the intervals is used.

In the case of simple regression, a  $100(1-\epsilon)$ -percent prediction interval for an estimated value of the dependent variable can be constructed as follows

$$\hat{y} \pm A \epsilon/2$$

where

$$A \epsilon/2 = (SE)_{\pm t} \epsilon/2 \sqrt{\frac{n+1}{n} + \frac{(x-\bar{x})^2}{n \sum_{i=1} (x_i - \bar{x})^2}} \quad (15)$$





SUMMARY AIRCRAFT MOVEMENTS  
MONTEREY PENINSULA AIRPORT

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1963												
CL	1269	1538	1694	1420	2010	2048	1750	1232	1930	1494	1250	1376
CI	2473	2251	2965	2561	2813	3317	3307	3182	3294	3087	2549	2752
MIL	3187	3339	3892	4439	3329	1918	3390	3401	3872	4094	3506	3882
AC	904	796	862	838	852	913	939	907	901	949	887	896
1964												
CL	1774	2096	2148	2154	2252	1842	2468	942	1742	2222	2352	1564
CI	2954	3534	2915	3311	3378	3338	3701	3546	2968	3288	3172	2189
MIL	3604	4199	3900	4008	2992	2180	2832	3503	3334	3273	2735	2045
AC	933	889	959	900	951	948	963	900	938	948	951	636
1965												
CL	2218	2067	2316	1638	2056	2354	2080	2514	2530	2334	2173	2356
CI	3465	3246	3228	3022	3704	3307	3484	4120	3910	4290	3338	23258
MIL	3440	3165	3005	3166	2570	2213	2177	2824	2792	2369	2949	2908
AC	913	837	897	935	1050	1048	1065	1110	1042	1038	1068	1093
1966												
CL	3434	2689	2918	3124	3132	2950	3531	3314	2026	2278	1798	1756
CI	4114	3897	4398	4613	4467	5085	5132	4803	4432	4491	3194	3396
MIL	3287	3185	2981	2882	1950	1810	1886	2301	2267	2715	2068	2465
AC	1118	1012	1071	1018	1092	1020	668	687	883	896	853	765
1967												
CL	2006	2972	2962	2658	2564	2232	2804	2492	2322	2819	2852	2490
CI	3975	4678	4185	4022	5227	3514	5020	4537	4525	5249	4070	4110
MIL	2375	2647	2235	1920	1949	1147	1617	1792	1579	1641	956	1054
AC	845	719	837	789	790	839	868	860	702	745	606	389
1968												
CL	2578	2806	2912	2412	1972	2019	1897	2100	1856	1854	1398	2014
CI	4133	3799	5120	4874	5226	5356	4682	5363	4766	4360	3859	3608
MIL	1341	1439	1693	1823	1896	1487	1889	1838	1674	2153	1919	1466
AC	809	814	897	998	799	929	1058	995	805	823	919	364



1969	1826	1742	2401	2018	2370	2756	2630	2782	3180	3018	7558	2500
CL	3893	3660	6259	6138	6403	5687	6025	6898	5714	6077	4282	5927
CI	1824	1866	1924	2015	1789	1663	1516	1791	1788	1939	1738	1784
MIL	843	793	816	613	475	847	854	841	1074	1030	1234	1160
AC												

1970	2266	2466	2608	2552	2833	2108	2038	1936	2518	2334	2290	2178
CL	4656	5576	6372	5466	5783	4829	5469	4987	5690	4433	4986	3932
CI	1380	1877	2197	2460	2387	1740	1828	1868	2598	2048	2300	1951
MIL	1175	1045	1169	1093	1097	1075	1138	1117	1073	1046	1103	1039
AC												

CL...CIVILIAN LOCAL OPERATIONS  
CI...CIVILIAN ITINERANT OPERATIONS  
MIL...MILITARY OPERATIONS  
AC...AIR CARRIER OPERATIONS

SOURCE: MONTEREY PENINSULA AIRPORT DISTRICT OFFICE



MONTHLY TRAFFIC RECORD  
MONTEREY PENINSULA AIRPORT

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1962	6200	4879	6447	6677	6453	5595	5648	6575	6144	7216	8086	6382
1963	7833	7924	9413	9258	9004	8196	9386	9222	9997	9624	8192	8906
1964	9265	10718	9922	10373	9573	8308	9964	9891	8982	9731	9210	6634
1965	10036	9315	9446	8761	9400	8922	8806	10568	10274	10051	9528	9615
1966	11923	10780	11368	10638	10671	10856	11217	11045	10208	9774	7883	7573
1967	9203	11016	10219	9389	10530	7732	10309	9689	9128	10454	8484	8043
1968	8861	8858	10622	10107	9797	9791	9616	10296	9101	9190	8087	8012
1969	8386	7461	11409	10984	11037	10953	11025	12302	11736	12304	11271	9809
1970	9477	10946	12296	11571	12100	9752	10473	9908	11879	10679	9861	9100
1971	11412	11214	11528	12801	11760	10829	10461	11989	12215	11340	9667	8154
1972	8738	8097	9154	9848	8882	8081	8667	9202	8664	7826	8175	7171
1973	7838	7793	8114	8858	9442							

SOURCE: FAA CONTROL TOWER RECORDS  
MONTEREY PENINSULA AIRPORT



APPENDIX B.3

MONTHLY COMMERCIAL AIRCRAFT LANDING  
MONTEREY PENINSULA AIRPORT  
1970 - 1973

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC

1970

UNITED  
B 727-222  
B 727  
B 737

HUGHES  
AIRWEST  
F-27  
F-27A  
DC-9-10  
DC-9-30

78	85	87	85	79	81	54	61
37	35	37	34	38	34	37	33
121	109	111	115	114	128	147	127

1	1	6	71	68	59	1	7
71	65	68	0	0	0	0	0
0	2	4	4	4	1	5	6
96	89	90	88	85	105	133	143

1971

UNITED  
B 727-222  
B 727  
B 737  
DC-8

HUGHES  
AIRWEST  
F-27  
DC-9-10  
DC-9-30

59	56	60	65	76	123	152	150	141	144	118	106
34	29	34	32	52	25	10	8	6	8	3	5
118	110	126	114	89	63	59	62	45	33	58	77
0	0	0	0	0	0	0	0	0	0	0	4

5	8	7	7	0	0	0	0	0	0	0	2
99	97	104	95	52	47	45	48	48	40	54	26
52	35	47	57	113	120	117	118	115	123	110	51





1972

UNITED	727-222	85	84	65	79	3	12	21	19	6	8	7
	B 727	11	31	59	45	120	116	112	105	112	126	145
	B 737	92	58	60	60	60	59	60	62	62	58	34
	DC-8	1	0	0	0	2	2	0	0	0	0	2
HUGHES AIRWEST	F-27	*	*	1	0	0	0	0	0	1	1	0
	DC-9-10	*	*	29	41	2	5	1	1	2	2	104
	DC-9-30	*	*	76	125	172	168	163	168	157	170	65
												104
VALLEY										26	52	54
												44

1973

UNITED	727-222	2	0	7	9	27	34	34				
	B 727	151	138	148	137	96	92	94				
	B 737	36	33	37	35	63	88	90				
	DC-8	3	2	0	1	0	4	4				
HUGHES AIRWEST	F-27	1	4	4	3	27	25					
	DC-9-10	110	93	109	100	77	82					
	DC-9-30	66	62	67	67	91	91					
VALLEY		58	47	41	57							

\* HUGHES AIRWEST EMPLOYEES ON STRIKE

SOURCE: MONTEREY PENINSULA AIRPORT DISTRICT OFFICE  
LANDING FEE RECEIPTS



# APPENDIX B.4

YEAR	PILOT LICENSES	
	CALIFORNIA	UNITED STATES
1959	49,665	359,875
1960	47,211	348,062
1961	48,272	352,860
1962	50,519	365,971
1963	53,073	378,700
1964	62,031	431,041
1965	69,501	479,770
1966	79,918	548,757
1967	91,116	617,931
1968	101,610	691,695
1969		720,028
1970		732,729
1971		741,009
1972		762,000 *
1973		811,200 *
1974		850,500 *
1975		889,800 *
1980		1,087,700 *
1985		1,289,200 *

\*FAA FORECAST

SOURCE: AVIATION FORECASTS, FISCAL YEARS 1972-1985



# APPENDIX B.5

## GENERAL AVIATION BASED AIRCRAFT AT MONTEREY

	SINGLE ENGINE/ 4 PLACE OR GREATER	MULTIENGINE	HELCO'S	TOTAL
1951	**	**	**	34
1952	**	**	**	34
1957	33/00	2	0	35
1960	54/35	4	0	58
1961	47/28	7	0	54
1962	47/28	7	0	54
1963	56/37	7	1	64
1964	58/39	8	1	67
1965	68/49	15	1	84
1965*	73/51	17	0	90
1966	73/51	17	0	90
1967	73/51	17	0	90
1968	81/56	20	0	101
1969	88/60	25	0	113
1970	88/60	25	0	113
1971	88/60	25	0	113
1972	88/60	25	0	113

\* FISCAL YEAR DATA

\*\* TOTAL DATA UNAVAILABLE

SOURCE: FAA FORM 5010-1 AIRPORT MASTER RECORD  
 COMPLETE FILE KEPT AT: FAA REGIONAL OFFICE  
 MITTEN ROAD  
 BURLINGAME, CALIF.



# APPENDIX B.6

## MONTEREY PENINSULA AIRPORT OPERATIONS FORECAST

### FISCAL YEAR FORECASTS

	1972	1974	1975	1976	1984
ENPLANED PASSENGERS (000)	199	226	246	259	526
AIR CARRIER OPNS (000)	10	11	12	12	12
TOTAL ITINERANT OPNS (000)	80	92	97	100	132
TOTAL OPERATIONS	117	137	140	146	220
INSTRUMENT OPERATIONS	33	40	66	75	166
INSTRUMENT APPROACHES	3379	4349	4834	5319	5804

DATA BASE: OCTOBER 1972

	1973	1974	1975	1978	1983
ENPLANED PASSENGERS (000)	207	226	246	331	501
AIR CARRIER OPNS (000)	8	9	10	10	10
TOTAL ITINERANT OPNS (000)	99	106	112	130	168
TOTAL OPERATIONS	142	157	166	194	254
INSTRUMENT OPERATIONS	42	44	45	48	56
INSTRUMENT APPROACHES	6915	7400	7690	9380	11890

DATA BASE: DECEMBER 1971

	1971	1972	1973	1977	1982
ENPLANED PASSENGERS (000)	184	202	230	378	606
AIR CARRIER OPNS (000)	8	9	10	11	14
TOTAL ITINERANT OPNS (000)	78	80	87	143	265
TOTAL OPERATIONS	110	111	120	180	296
INSTRUMENT OPERATIONS	36	37	38	42	47

DATA BASE: MAY 1971

SOURCE: TERMINAL AREA FORECASTS, DEPARTMENT OF  
TRANSPORTATION, FAA, OFFICE OF AVIATION ECONOMICS,  
AVIATION FORECAST DIVISION





# APPENDIX B.7

## FORECAST ACTIVITIES MONTEREY PENINSULA AIRPORT

### INDUSTRY TRAFFIC

YEAR	BOARDING REVENUE PASSENGERS		CARGO TONS-ON AND OFF AVERAGE MONTH
	ANNUAL TOTAL	ANNUAL GROWTH RATE	
1975	308,600	10.3%	290
1980	438,200	7.2%	400
1985	616,100	7.1%	555

### INDUSTRY AIRCRAFT MOVEMENTS DEPARTURES + ARRIVALS

YEAR	TOTAL ANNUAL MOVEMENTS		
	SCHEDULED	GENERAL	TOTAL
1975	16,800	116,000	132,800
1980	20,400	141,000	161,400
1985	25,600	166,000	191,600

SOURCE: UNITED AIR LINES FORECASTS



# APPENDIX B.8

## SUMMARY AIRLINE PASSENGER MOVEMENTS MONTEREY PENINSULA AIRPORT

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1965												
AN	3000	2858	3104	3504	3596	3552	4036	4469	4461	4745	4122	4432
AF	3618	3001	3249	3793	4422	4256	5063	5281	5281	5066	4784	5201
UN	2664	2274	2879	3079	3003	3765	3748	4061	3426	3541	3286	3301
UF	2613	1913	2313	2794	2792	3070	3655	3720	3722	3037	3238	3188
1966												
AN	4284	3824	4671	4954	5216	5441	4754	5310	6075	6806	4211	5021
AF	5517	4842	5206	5147	5522	5383	5448	5615	6407	6906	4102	4782
UN	3342	3516	3856	4224	4752	4897	1064	1420	4808	5355	5400	4912
UF	3658	3395	3822	4101	4526	4692	1174	1374	4120	4158	4750	3572
1967												
AN	4754	5310	6075	6806	4211	5021	4729	5379	6796	6610	6408	7647
AF	5448	5615	6407	6906	4102	4782	6147	5620	6798	6406	5815	7367
AN	1064	1420	4808	5355	5400	3912	4892	4177	5909	5469	5315	6182
UF	1174	1374	3946	4158	4750	3572	4729	4442	5590	5902	5506	5802
1968												
AN	7552	8001	6086	5784	6086	5269	5158	5879	5902	7200	7948	7921
AF	7253	7322	5768	5691	5768	5429	6468	5659	6400	7398	7654	8209
UN	5854	6342	6985	6501	6985	6056	5565	5700	5320	6899	6442	7900
UF	5429	5700	6236	6053	6236	5738	6439	5384	5120	5840	5691	5861
1969												
AN	3882	3873	4277	5041	4603	4915	4330	4938	4500	5042	4906	4390
AF	*7392	8460	10524	*11787	*13615	*12316	*13414	*11002	*10887	*12367	*10388	*11867
UN	7089	7962	9433	10279	12321	11781	11486	10293	10369	11042	7019	9531
UF	428	324	371	4490	577	734	522	1292	985	1094	574	622
GN	375	344	379	875	600	802	963	1092	975	1940	786	753
CF	150	244	323	415	537	532	426	508	423	476	315	322
CF	178	161	293	374	526	818	810	800	696	679	399	345
1970												
UN	10154	9837	11648	10679	12941	14445	14011	15149	13430	13318	12011	11749
UF	11133	9061	10739	9474	11599	12005	13291	13089	12055	11477	11027	19756
AN	3942	4175	4618	4632	5217	4581	5039	5439	4815	5190	3705	4109
AF	*460	4380	5451	5052	5660	5484	5728	5747	5709	5245	4814	4120
GN	859	514	536	476	592	539	636	637	505	580	407	353
CF	153	183	260	476	538	672	665	616	673	592	413	417



1971	UN	10452	10001	10772	12173	11694	13028	13398	14099	12138	12081	10090	11742
	UF	10766	8415	10012	10830	10738	11590	13102	13250	11209	12252	10460	12202
	AN	5144	2868	3248	3699	3872	3598	3744	4108	4711	4887	4057	1630
	AF	3370	3972	4302	4352	5046	5006	5744	5574	5669	5806	5389	2278
	GN	575	582	515	677	573	467	520	462	436	395	239	223
	GF	424	360	464	474	438	376	343	422	338	346	179	178
1972	UN	12071	12065	12417	12424	11747	13463	13477	14551	13032	13103	11867	12525
	UF	14337	12369	11996	12580	12442	13784	14024	14685	13223	13415	12123	11347
	AN			1902	4017	5357	6514	5259	6031	6132	5624	5186	4366
	AF			2090	4303	5453	7173	5811	6613	6303	7007	5213	4227
	GN	223	295	339	251	127	153	141	207	49			
	GF	178	162	238	89	74	105	171	232	64	87	98	94
	VN									35	116	89	97
	VF									34			
1973	UN	10483	10922	12534	12849	12997	15641						
	UF	13218	10489	12027	12548	11795	14831						
	AN	3932	4449	5387	5089	4940	5320						
	AF	5985	4473	4979	5079	5666	6786						
	GN	77	95	84	114	114							
	VF	76	92	104	131	135							

ABBREVIATIONS (FORMERLY PACIFIC AIRLINES)

AN...HUGHES AIRWEST ENPLANING  
 AF...HUGHES AIRWEST DEPLANING  
 UF...UNITED AIRLINES ENPLANING  
 GN...GOLDEN WEST AIRLINES DEPLANING  
 GF...GOLDEN WEST AIRLINES ENPLANING  
 CN...CAL STATE AIRLINES DEPLANING  
 CF...CAL STATE AIRLINES ENPLANING  
 VN...VALLEY AIRLINES DEPLANING  
 VF...VALLEY AIRLINES ENPLANING  
 \* ... DATA UNAVAILABLE

SOURCE: MONTEREY PENINSULA DISTRICT OFFICE



# APPENDIX B.9

## ENPLANED PASSENGERS MONTEREY PENINSULA AIRPORT

YEAR	CALENDAR	FISCAL
1962		
PACIFIC AIRLINES		38090
UNITED AIRLINES		23344
1963		
PACIFIC AIRLINES	36349	
UNITED AIRLINES	30009	
1964		
PACIFIC AIRLINES	42692	41318
UNITED AIRLINES	36821	33829
1965		
PACIFIC AIRLINES		41316
UNITED AIRLINES		36880

SOURCE: FAA, AIRPORT ACTIVITIES STATISTICS OF CERTIFIED ROUTE AIR  
CARRIERS





FORT ORD TRANSPORTATION REQUESTS FOR PERSONNEL DEPARTING VARIOUS AIRPORTS

YEAR 1972

APPENDIX B.10

MONTH	TRAINEES						DEPENDENTS & PERMANENT POST PERSONNEL					
	MRY		SFO		OAK		SAN JOSE	OTHER	MRY		SFO	OTHER
	COMMERCIAL INDIVIDUAL SEATS	CHARTER	COMMERCIAL	CHARTER	COMMERCIAL	CHARTER	CHARTER		COMMERCIAL	AIR TAXI FLIGHTS		
JAN	245	205	6	282	0	249	0	1	257	10	13	8
FEB	386	328	367	210	0	144	0	1	342	15	17	1
MAR	402	97	36	442	2	0	176	0	339	15	7	2
APR	651	160	103	0	0	0	181	6	253	13	16	4
MAY	477	77	38	333	0	0	285	4	162	7	20	0
JUN	679	273	426	165	0	0	0	1	318	10	44	4
JUL	598	0	355	0	0	0	116	5	437	15	64	9
AUG	649	71	254	148	0	0	310	2	292	14	12	4
SEP	838	0	298	0	0	0	761	3	316	11	5	7
OCT	979	457	616	0	0	980	658	0	253	8	11	2
NOV	1230	382	511	0	0	752	400	0	684	9	13	2
DEC	386	144	32	0	0	418	431	0	199	4	63	3
TOTAL FOR YEAR	7520	2194	3042	1580	2	2543	3318	20	3852	131	285	46

SOURCE: TRANSPORTATION DEPARTMENT, FORT ORD, MR. BRIGHTON



# APPENDIX B.11

## YEAR/MONTH                      TRAINEES DEPARTING FORT ORD VIA COMMERCIAL AIR

1971

SEP	255
OCT	769
NOV	536
DEC	284

1973

JAN	556
FEB	902
MAR	786
APR	970
MAY	545
JUN	953

SOURCE: TRANSPORTATION DEPARTMENT, FORT ORD



# APPENDIX B.12

## TRAINEE DATA AT FORT ORD

CALENDAR YEAR	MONTH ENDING	CUMULATIVE TRAINEES	#/QUARTER
1973	31 AUG	30,289	-----
	30 JUN	28,231	9,781
	31 MAR	18,450	18,450
1972	31 DEC	55,475	19,134
	30 SEP	36,341	12,537
	30 JUN	23,804	12,352
	31 MAR	11,452	11,452
1971	31 DEC	57,030	11,307
	30 SEP	45,723	14,911
	30 JUN	30,812	13,506
	31 MAR	17,306	17,306
1970	31 DEC	71,568	17,068
	30 SEP	54,500	20,121
	30 JUN	34,379	16,768
	31 MAR	17,611	17,611
1969	31 DEC	79,367	20,608
	30 SEP	58,759	21,764
	30 JUN	36,995	21,447
	31 MAR	15,548	15,548
1968	31 DEC	84,465	20,741
	30 SEP	63,724	23,502
	30 JUN	40,222	21,519
	31 MAR	18,703	18,703
1967	31 DEC	62,643	16,492
	30 SEP	46,151	11,748
	30 JUN	34,403	15,700
	31 MAR	18,703	18,703

SOURCE: GENERAL DIVISION, TRAINEE BRANCH, BCT SECTION, FORT ORD, CALIFORNIA



APPENDIX B.13

INTERVIEW RESULTS AT THE NAVY POSTGRADUATE SCHOOL  
FOR AIRLINE TRANSPORTATION REQUESTS

1. Transportation requests for airline travel may be handled by two methods

- a. Request a TR before travel is commenced, or
- b. Request reimbursement for airline travel upon return

2. For the Fiscal Year 1972, there were 982 TR's issued.

For the Fiscal Year 1973, there were 936 TR's issued.

3. The man personally charged with making out the TR's and reimbursements felt strongly there was a 1-1 relationship between methods a and b.

Therefore, the direct input for enplaning passengers at Monterey for the Navy Postgraduate School would be

$982 \times 2 = 1964$  for Fiscal Year 1972

$936 \times 2 = 1872$  for Fiscal Year 1973





YEAR ENDING	AIR CARRIER	TYPE AIRCRAFT	YEARLY TYPE AIRCRAFT DEPARTURES MONTEREY PENINSULA AIRPORT			SEATS AVAILABLE	TOTAL YEARLY SEATS AVAILABLE
			DEPARTURES PERFORMED ALL SERVICES	PASSENGER SEAT CAPACITY			
1962							
30 JUN	UNITED	CV340/440	2340	44	102,9	268,824	
		DC-6	7	36	6,624		
		DC-7/78	1	70	70		
	PACIFIC	F-27	2503	44	110,132		
		M-202	184	36	6,624		
		M-404	1104	44	48,576		
1963							
31 DEC	UNITED	CV340/440	2032	44	89,408	209,396	
		DC-6	12	66	792		
		DC-6B	14	66	924		
	PACIFIC	F-27	1427	44	62,788		
		M-202	396	36	14,256		
		M-404	937	44	41,228		
1964							
30 JUN	UNITED	CV340/440	2153	44	94,732	221,712	
		DC-6	12	66	792		
		DC-6B	12	66	792		
	PACIFIC	F-27	1536	44	67,584		
		M-202	28	36	1,008		
		M-404	1291	44	56,804		
31 DEC	UNITED	CV340/440	2126	44	93,544	227,260	
		DC-6	14	66	924		
		DC-6B	24	66	1,584		
	PACIFIC	F-27	1853	44	81,532		
		M-404	1129	44	49,676		



1965

30 JUN	UNITED	CV340/440 DC-6 DC-6B	2133 33 36	44 66 66	93,852 2,178 2,376
	PACIFIC	F-27 M-404	2224 857	44 44	97,856 37,708
31 DEC	UNITED	B-727 * CV340/440 DC-6 DC-6B	1 2160 41 33	52 44 66 66	92 95,040 2,706 2,178
	PACIFIC	F-27 M-404	2361 962	44 44	103,884 42,328
					233,970
					246,228

1966

30 JUN	UNITED	B-727 * CV340/440 DC-6 DC-6B	1 2133 30 23	92 44 66 66	92 93,852 1,980 1,518
	PACIFIC	F-27 M-404	3525 1024	44 44	155,100 45,056
31 DEC	UNITED	CV340/440 DC-6 DC-6B	1547 359 69	44 66 66	68,068 23,694 4,554
	PACIFIC	B-727 * F-27 M-404	15 3438 1007	92 44 44	1,380 151,272 44,308
					297,598
					293,276

1967

30 JUN	UNITED	B-727 * CV340/440 DC-6 DC-6B	2 878 717 180	92 44 66 66	184 38,632 60,522 11,880
	PACIFIC	B-727 * F-27 M-404	1523 897 160	92 44 44	140,116 39,292 7,040
					297,666



31 DEC	UNITED	8727/100 8727QC CV340/440 DC-6 DC-6B	4 2 754 1234 170	100*** 131 44 66 66	400 262 33,176 81,444 11,220
	PACIFIC	8727/100 F-27 M-404	1610 564 22	100*** 44 44	161,000 24,816 968
					313,286

1968

31 DEC	UNITED	8727/100 8727QC 8727/200 8-737 CV340/440 DC-6 DC-6B	359 52 3 52 203 1075 243	100*** 131 170 115 44 66 66	35,900 6,812 5,510 5,980 8,932 70,950 16,038
	PACIFIC	8727/100 DC-9-10 DC-9-30 F-27	760 216 159 1009	100*** 70 115 44	76,000 19,440 18,285 44,396
					303,243

1969

30 JUN	UNITED	8727/100 8727QC 8727/200 8737 DC-6 DC-6B	771 116 14 811 385 143	100*** 131 170 115 66 66	77,100 15,196 2,380 93,265 25,410 9,768
	PACIFIC	8727/100 DC-9-10 DC-9-30 F-27 PA-51	149 463 391 981 1	100*** 50 115 44 6	14,900 41,670 44,965 43,164 6
					367,824



1970

30 JUN	UNITED	8727/100 8727QC 8727/200 8737	819 121 205 1685	100*** 131 170 115	81,900 15,851 34,850 193,775
	PACIFIC/	DC-9-10	86	90	7,740
	HUGHES AIRWEST	DC-9-30 F-27	720 377	115 44	82,800 29,788
					446,704

1971

30 JUN	UNITED	8727/100 8727QC 8727/200 8737/200	328 70 883 1369	100*** 131 170 119	32,800 9,170 150,110 162,911
	AIRWEST	DC-9-10 DC-9-30 F-27	518 1057 293	90 115 44	46,620 121,555 12,892
	WESTERN	8720B 8737/200	4 1	167 119	668 119
31 DEC	UNITED	8727/100 8727/222 8737/200 DC-8 **	246 1250 954 4	100*** 170 117 176	24,600 212,500 113,526 704
	AIRWEST	DC-9-10 DC-9-30 F-27	755 1058 29	90 115 44	67,950 121,670 1,276
					536,845
					542,226

1972

30 JUN	UNITED	8727/100 8727/222 8737/200 DC-8 **	422 1139 723 9	100*** 170 119 176	42,200 193,630 86,037 1,584
	AIRWEST	DC-9-10 DC-9-30 F-27	338 1175 3	90 115 44	30,420 135,125 132
					489,128





31 DEC	UNITED	8727/100	1123	100***	112,300
		8727/222	394	170	66,980
		8737/200	702	119	83,538
		DC-8 **	8	176	1,408
	AIRWEST	DC-9-10	291	90	26,190
		DC-9-30	1330	115	152,950
		F-27	5	44	220
					443,586

1973

30 JUN	UNITED	8727/100	1503	100***	150,300
		8727/222	155	170	26,350
		8737/200	605	119	71,995
		DC-8 **	12	176	2,112
	AIRWEST	DC-9-10	785	90	70,650
		DC-9-30	1233	115	141,795
		F-27	68	44	2,992
					466,194

\* B727 MAY HAVE BETWEEN 70-114 SEATS INSTALLED, CONFIGURATION UNKNOWN THEREFORE USED AVERAGE

\*\* DC-8 MAY HAVE FROM 116-176 SEATS INSTALLED, 176 SEATS USED DUE TO FLIGHTS BEING USED AS CHARTERS.

\*\*\* B-727-100 MAY HAVE BETWEEN 70-131 SEATS INSTALLED, CONFIGURATION UNKNOWN THEREFORE USED AVERAGE.

SEATING CAPACITY BASED ON AVIATION WEEK AND SPACE TECHNOLOGY'S SPECIFICATIONS MARCH 19, 1973 PG. 126



# APPENDIX B.15

## SOCIO-ECONOMIC FACTORS MONTEREY COUNTY

YEAR <sup>1</sup>	POPULATION <sup>2</sup>	INCOME <sup>3</sup> \$ x 1000	CALIFORNIA CONSUMER <sup>4</sup> PRICE INDEX	ADJUSTED INCOME (1967=100)	ADJUSTED INCOME PER CAPITA IN \$
1960	198,351+	481,897	88.2	546,368	2,755
1961	198,200	497,873	89.3	557,528	2,813
1962	204,300	530,517	90.5	586,207	2,867
1963	215,900	577,367	91.9	628,256	2,910
1964	224,700	639,403	93.5	683,853	3,043
1965	224,400	682,317	95.4	715,217	3,187
1966	243,800	803,569	97.3	825,867	3,387
1967	253,700	887,506	100	889,506	3,506
1968	253,400	976,800	104.1	938,329	3,703
1969	256,500	1,022,607	109.3	935,597	3,648
1970	248,846	1,062,233	114.9	924,485	3,715
1971	252,100	1,152,219	119.2	1,029,500	4,095

<sup>1</sup>As of 1 JUL SOURCE: CALIFORNIA STATISTICAL ABSTRACT 1971

<sup>2</sup>SOURCE: CALIFORNIA STATISTICAL ABSTRACT 1971

<sup>3</sup>SOURCE: CALIFORNIA STATISTICAL ABSTRACT 1971

<sup>4</sup>SOURCE: CALIFORNIA STATISTICAL ABSTRACT 1971



YEAR	POPULATION			ADJUSTED INCOME x (000)			ADJUSTED INCOME PER CAPITA 3.3% GROWTH PER YEAR
	CALIF FACT BOOK 1972	REGRESSION EQUATION	INTERVIEWS	3.3% GROWTH PER YEAR	ADJUSTED INCOME PER CAPITA x REGRESSION EQ. POPULATION	ADJUSTED INCOME PER CAPITA x INTERVIEW POPULATION	
1973		264,200	264,000	1,098,600	1,154,600	1,153,700	4370
1974		273,900	270,000	1,134,800	1,236,400	1,218,800	4514
1975	246,900 <sup>(1)</sup>	284,900	278,700	1,172,200	1,328,500	1,299,600	4663
1980	275,500	339,100	313,000	1,378,900	1,860,000	1,716,800	5485
1985	308,000	405,300	336,000	1,621,900	2,614,600	2,167,500	6451

<sup>(1)</sup> Civilian population only; estimates for military population range from high of 40,000 to low of 25,000.



# APPENDIX B.17

ONE YEAR PERIOD ENDING	TOTAL CARGO CAPACITY * (TONS)
30 JUN 1962	6,025
31 DEC 1963	5,344
30 JUN 1964	5,638
31 DEC 1964	5,670
30 JUN 1965	5,788
31 DEC 1965	5,839
30 JUN 1966	5,690
31 DEC 1966	4,654
30 JUN 1967	13,552
31 DEC 1967	13,766
31 DEC 1968	15,919
30 JUN 1969	25,993
30 JUN 1970	31,833
30 JUN 1971	42,223
30 JUN 1972	39,128
30 JUN 1973	41,085

\* Total cargo capacity was computed by multiplying specific type aircraft departures performed all services (Appendix B.14) times each specific type aircraft's cargo capacity and then totaling each year period.

Cargo capacity used for each specific type aircraft:

AIRCRAFT PROP	CAPACITY (TONS)
CV-340/440	2.572
DC-6	0
DC-6B	8.39
DC-7/7B	7.1
F-27	212 cu. ft
M-202	280 cu. ft
M-404	316 cu. ft





JET

B-727-100	6.42
B-727QC/100	23.0
B-727-200	10.5
B-737	5/2
B-737-200	6.57
B-720B	10.25
DC-8	10.43
DC-9-10	11.93
DC-9-30	13.28



# APPENDIX B.18

## SCOTS

South Coast Transportation Study  
 Road Commissioner's Office, Court House  
 Santa Barbara, California 93102

4 December 1968

### DAILY RATIO OF TRIPS/PASSENGERS

DAY	PASS	CARS	VEH/PASS	PASS/VEH
MON	570	780	1.32	.76
TUES	435	840	1.93	.56
WED	547	770	1.41	.71
THURS	609	820	1.35	.74
FRI	787	1050	1.33	.75
SAT	539	820	1.52	.66
SUN	777	1050	1.35	.74



31 DEC	TOTAL ELIGIBLE AIRCRAFT	BASED AT MONTEREY		FIXED WING MULTIEENGINE			FIXED WING SINGLE ENGINE 4-PLACE & OVER				
		NUMBER	% OF TOTAL	COUNTY	MONTEREY	A/P	% OF TOTAL	COUNTY	MONTEREY	A/P	% OF TOTAL
1963	135	64	47.4	11	7		63.6	63	37		58.7
1964	154	67	43.5	12	8		66.6	76	39		51.3
1965	182	84	46.2	18	15		83.3	84	49		58.3
1966	205	90	43.9	20	17		85.0	105	51		48.6
1967	223	90	40.4	23	17		73.9	111	51		45.9
1968	255	101	39.6	24	20		83.3	122	56		45.9
1969	241	113	46.9	31	25		80.6	117	60		51.3
1970		113			25				60		
1971		113			25				60		
1972	307										

SOURCE: CENSUS OF U.S. CIVIL A/C  
 FAA REGIONAL OFFICE  
 MITTEN ROAD  
 BURLINGAME, CALIFORNIA



COMBINED ACCESS/EGRESS TRAFFIC COUNT  
OLMSTEAD ROAD AND HENDERSON WAY  
SMATS STUDY  
9-20 OCTOBER 1970

DATE		AVERAGE TRIP LENGTH IN MILES												
ONE HOUR PERIOD BEGINNING		9	10	11	12	13	14	15	16	17	18	19	20	AVE CARS
0700			120	80	170	130	140	130	150	110	90	160	160	140
1000			210	150	190	160	190	190	160	180	140	210	140	175
1100			230	180	170	170	200	220	270	260	210	210	200	210
1300		230	320	250	190	200	210	220	250	290	210	210	260	240
1500		370	260	240	230	190	220	250	340	200	270	230	370	265
1700		370	210	260	280	210	230	250	340	230	210	200	400	265
1900		280	120	170	120	150	150	210	210	160	190	160	140	165





RESULTS OF REGRESSION ANALYSIS  
GENERAL AVIATION MODELS

APPENDIX C

MODEL	$b_0$	$b_1$	$b_2$	n	DEGREES OF FREEDOM	SE	$R^2$	$t_1$	$t_2$	$\bar{x}_1$	$\bar{x}_2$
1 (I)	- 303.98	5.70		11	9	7.202	.8846	8.31		66.00	
2	- 19.7456	5.73		11	9	0.1224	.8619	7.49		4.1885	
3	-4198.11	96.32		11	9	19.31	.1702	1.36		44.34	
4	4491.17	*		11	9	11.70	.6957	-4.53		*	
5	6665.45	*		11	9	9.96	.7795	-5.64		*	
6	11.81	0.75		11	9	7.275	.8822	8.211		80.47	
7	0.3233	0.90		11	9	0.1058	.8968	8.84		4.3406	
8	40.59	0.0045		11	9	8.787	.8282	6.59		7045.50	
9 (II)	6.12	0.12		11	9	7.426	.8773	8.02		550.95	
10 (III)	- 1.9885	0.99		11	9	0.1121	.8841	8.29		6.2729	
11	37.89	0.00011		11	9	8.731	.8304	6.64		325788.	
12	5.54	8.05		11	9	5.542	.9317	11.08		8.27	
13	5.14	- 1.94	10.03	11	8	5.788	.9338	-0.50	2.49	8.05	8.27
14	6.81	- 0.37	10.41	11	8	5.743	.9348	-0.61	2.65	55.09	8.27
15	2.25	- 0.02	0.98	11	8	0.0898	.9340	-0.05	2.12	2.04	2.07
16	2.56	- 0.15	1.10	11	8	0.0892	.9348	-0.32	2.49	3.97	2.07



APPENDIX D

RESULTS OF REGRESSION ANALYSIS  
ENPLAINED PASSENGERS MODELS

MODEL	$b_0$	$b_1$	$b_2$	n	DEGREES OF FREEDOM	SE	$R^2$	$t_1$	$t_2$	$\bar{x}_1$	$\bar{x}_2$
1 (I)	- 1113.34	18.61		9	7	13.833	.9394	10.42		67.00	
2	- 36.4073	9.81		9	7	0.1104	.9392	10.40		4.2039	
3 (II)	- 5.1878	0.15		9	7	0.0963	.9537	12.01		67.00	
4	-11856.22	270.33		9	7	51.700	.1549	1.13		44.35	
5	- 698.11	1.515		9	7	13.860	.9392	10.40		548.72	
6	- 490.73	0.14		9	7	13.900	.9390	10.38		4495.66	
7	2616.07	*		9	7	14.200	.9364	-10.15		0.12	
8	1375.35	*		9	7	14.100	.9370	-10.20		0.015	
9	961.64	*		9	7	14.100	.9373	-10.23		0.002	
10	754.32	*		9	7	14.100	.9366	-10.17		0.0002	
11 (III)	- 555.72	2.85		9	7	30.480	.7059	4.10		241.48	
12 (IV)	- 26.2772	5.67		9	7	0.2003	.7998	5.29		5.4849	
13	- 219.55	0.006		9	7	30.420	.7070	4.11		58527.0	
14 (V)	- 182.70	0.38		9	7	22.630	.8379	6.01		834.19	
15 (VII)	- 11.8637	2.48		9	7	0.1363	.9073	8.28		6.7154	
16	- 35.81	0.0002		9	7	21.580	.8525	6.36		710223.	
17 (VI)	- 383.35	150.31		9	7	20.150	.8714	6.89		3.437	
18 (VIII)	- 0.2946	4.15		9	7	0.1168	.9320	9.79		1.2305	
19	- 133.31	22.39		9	7	19.500	.8800	7.17		11.91	
20	286.85	- 3.29	0.77	9	6	20.39	.8872	- 1.62	3.11	241.48	834.19
21	0.6559	- 4.49	4.28	9	6	0.1263	.9318	- 1.47	3.41	5.4849	6.7154
22	157.64	- 0.0057	0.0004	9	6	19.77	.8940	- 1.53	3.25	58526	710273
23	- 313.58	- 0.78	184.74	9	6	21.18	.8783	- 0.583	2.92	241.48	3.44
24	1.0710	- 0.29	4.34	9	6	0.1259	.9323	- 0.16	3.43	5.48	1.23
25	- 106.70	- 0.001	26.11	9	6	20.65	.8843	- 0.47	3.03	58526	11.91



## CALCULATIONS FOR STREET SIDE INTERFACE

## FORECASTS

YEAR	ENPLANING PASSENGERS (1)	VEHICLES REQUIRED (1) ÷ .9 = (2)	PARKING REQUIRED (2) x .6 = (3)	DEPLANING PASSENGERS (4)	VEHICLES REQUIRED (4) ÷ .9 = (5)	PARKING REQUIRED (5) x .85 = (6)	TOTAL	
							VEHICLES (2) + (5) = (7)	PARKING (3) + (6) = (8)
1973	127	141	85	127	141	120	282	205
1974	137	152	91	137	152	129	304	220
1975	149	166	99	149	166	141	332	240
1980	207	230	138	207	230	196	460	334
1985	267	297	178	267	297	252	594	430



## APPENDIX F

### GLOSSARY

**Air Cargo:** All revenue air traffic other than passengers; includes freight express, mail and passenger baggage in excess of free allowance.

**Air Carrier:** Aircraft operators certified by the Federal Aviation Administration to transport persons, property and mail by air.

**Aircraft Operation:** An aircraft arrival or departure from an airport with FAA airport traffic control service. There are two types of operations, local and itinerant.

1. Local operations are performed by aircraft which:

- a. Operate in the local traffic pattern or within sight of the tower.
- b. Are known to be departing for, or arriving from, flight in local practice areas located within a 20 mile radius of the control tower.
- c. Execute simulated instrument approaches or low passes at the airport.

2. Itinerant operations: All aircraft arrivals and departures other than local operations.

**Air Taxi Operator:** One of a class of air carriers operating aircraft having a maximum gross takeoff weight of 12,500 pounds or less and engaging in a wide variety of nonscheduled and scheduled passenger and cargo transportation services.

**Available Seats:** The number of seats installed in an aircraft (including seats in the lounges) exclusive of any seats not offered for sale to the public by the carrier.

**Commuter Airlines:** Air taxi operators who perform, pursuant to published schedules, at least five round trips a week between two or more points.

**DMJM:** Daniel, Mann, Johnson, and Mendenhall Associates, Consulting Engineers.

**Enplaned Passengers:** Passengers boarding an aircraft including originating, stopover and transfer passengers, for scheduled service.

**FAA:** Federal Aviation Administration

**Flight:** The operation of an aircraft from take off to landing.





General Aviation Aircraft: All civil aircraft except those classified as air carriers.

Load Factor: The percentage of seats actually occupied prior to take-off of a scheduled flight.

Scheduled Service: Transport service operated over an air carriers certificated routes based on published flight schedules, including extra sections and related non revenue flights.

UAL: United Air Lines.



## LIST OF REFERENCES

1. Reed, G.T., Preliminary Airport Master Planning for the Monterey Peninsula Airport District, Masters Thesis, Naval Postgraduate School, Monterey, 1973.
2. Aviation Week and Space Technology, v. 98, p. 126, 19 March 1973.
3. IFR Supplement, DOD Flight Information Publication (Enroute), 24 May 1973.
4. Daniel, Mann, Johnson, and Mendenhall Associates, Progress Report No. 6, California Master Plan of Aviation, July 1972.
5. United Air Lines in Conjunction with other Airlines Serving the Monterey Peninsula, Monterey Master Plan Summary Report, 15 August 1968, Revised 9 June 1969.
6. Department of Transportation, Federal Aviation Administration, Large and Medium Hub Aviation Activity Forecast, Air Carrier Airports, 1967-1983, p. 7, April 1972.
7. Collins, R.L., "On Top, the Part About the Pilot," Flying Magazine, p. 12, June 1973.
8. Industry Observer, Aviation Week and Space Technology, v. 97, p. 9, 2 October 1972.
9. Collins, R.L., "Buy in the Sky - Cessna's Skyhawk for 1974," Flying Magazine, p. 58, September 1973.
10. Bulban, E.J., "Business Flying, General Aviation Soars to Sales Record," Aviation Week and Space Technology, v. 98, p. 85, 19 March 1973.
11. Department of Transportation, Federal Aviation Administration, Airport Ranking, Air Carrier Passenger Enplaning, Fiscal 1972, February 1973.
12. Richard Raymond Associates, An Economic Analysis of the Monterey Area, p. 12-16, May 1969.
13. Hughes Airwest, F. Hykal, Subject: Results of the Monterey Survey of July 15-21, by S. Clemens, 25 August 1972.
14. Daniel, Mann, Johnson, and Mendenhall Associates, Progress Report No. 7, California Master Plan of Aviation, p. 5, June 1973.
15. Simat, Helliesen, Eichner, Inc., "Forecast of Air Traffic Demand and Activity Levels to the Year 2000," The Long Range Needs of Aviation; Technical Annex to the Report of the Aviation Advisory Commission, v. II, January 1973.



16. California County Government Education Foundation, California County Fact Book 1972.
17. Bank of America, Focus on Monterey County: An Economic Study of the Salinas-Monterey Metropolitan Area, September 1967.
18. Hartnell College, Planning and Development of the Hartnell Joint College District 1966 to 1985, A Report to the Governing Board, p. 96, May 1967.
19. Doty, L., "Air Transport: Problems Shaking Traffic Forecasts," Aviation Week and Space Technology, v. 98, p. 53-61, 19 March 1973.
20. Program of Policy Studies in Science and Technology of the George Washington University, Joint DOT-NASA Civil Aviation R&D Policy Study Contractor Report, Social Impacts of Civil Aviation & Implications for R&D Policy.
21. Department of Transportation & National Aeronautics and Space Administration, Joint DOT-NASA Civil Aviation Research and Development Policy Study Report, p. 5-12, March 1971.
22. Department of Transportation & National Aeronautics and Space Administration, Joint DOT-NASA Civil Aviation Research and Development Policy Study Supporting Papers, p. 6-44, March 1971.



# INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0212 Naval Postgraduate School Monterey, California 93940	2
3. Department of OR/AS (Code 55) Naval Postgraduate School Monterey, California 93940	1
4. Chief of Naval Personnel (Pers 11b) Department of the Navy Washington, D.C. 20370	1
5. Asst. Prof. J.K. Hartman (Code 55Hh) Department of OR/AS Naval Postgraduate School Monterey, California 93940	1
6. LT A.L. Maples VQ-1, FPO San Francisco, California	1
7. Assoc. Prof. M.G. Sovereign (Code 55Zo) Department of OR/AS Naval Postgraduate School Monterey, California 93940	1
8. General Manager Monterey Peninsula Airport Monterey, California 93940 ATTN: Mr. Nick Ford	1
9. Prof. L.V. Schmidt (Code 57Sx) Department of Aeronautical Engineering Naval Postgraduate School Monterey, California 93940	1
10. Mr. Richard Tourangeau 6th Avenue & Dolores Carmel, California 93921	1





REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) The Monterey Peninsula Airport in the 1970's and 1980's: A Demand Forecast		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis; March 1974
7. AUTHOR(s) Amos Lee Maples		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Postgraduate School Monterey, California 93940		12. REPORT DATE March 1974
		13. NUMBER OF PAGES 121
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Airport Forecast Monterey		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Monterey Peninsula Airport is modeled as a three component (airside, terminal, and streetside) system, and forecasts of demand and utilization for each component are developed through use of linear and log linear regression techniques. Specifically, forecasts for General Aviation Operations, Airline Passenger Enplanements and Passenger Associated Visitors, the number of automobiles utilizing the roadway during the peak hour (2 scheduled airline departures and 2 scheduled airline arrivals within the		



20. (cont'd)

same hour), and associated parking space requirements have been made for the years 1973, 1974, 1975, 1980, and 1985.







Thesis  
M3354 Maples  
c.1

149185

The Monterey Peninsula  
Airport in the 1970's  
and 1980's: a demand  
forecast.  
14 AUG 76 (Interlibrary Loan  
Pacific Grove Library

20 JUN 78  
JUL 1980  
15 JUL 80

25021  
S12476  
7662

Thesis  
M3354 Maples  
c.1


149185

The Monterey Peninsula  
Airport in the 1970's  
and 1980's: a demand  
forecast.



thesM3354

The Monterey Peninsula Airport in the 19



3 2768 001 01196 8

DUDLEY KNOX LIBRARY